

Historic, archived document


Do not assume content reflects current scientific knowledge, policies, or practices.

DUPONT
62.73

1916


LIBRARY
UNIVERSITY OF PENNSYLVANIA

DREER'S Old-fashioned Hardy Plants



Grown and Offered
by
HENRY A. DREER
714-716 Chestnut St.
Philadelphia.

DREER'S SELECT HARDY PERENNIAL PLANTS



A VIEW IN OUR NURSERY, WHERE WE GROW HARDY PERENNIAL PLANTS BY THE ACRE.

Of all the plants that are cultivated for purely ornamental purposes there are none which have made such rapid strides in public favor as the **Old-fashioned Hardy Garden Flowers**, the inhabitants of the perennial garden. Their popularity is not at all surprising when we consider the many varied and pleasant changes which take place throughout the entire growing season in a well-arranged hardy border, in which every week—yes, every day—brings forth something fresh and new to interest and delight even the most critical. Beginning in April, the early-flowering varieties open their flowers often before the snow has entirely disappeared, and continue, with constant changing variety, throughout the summer until late in the fall, when only severe freezing weather will stop such persistent late-blooming kinds as Japanese Anemones, Pompon Chrysanthemums, Gaillardias, Gentians, Tritomas, etc.

Twenty years ago there were very few Hardy Perennial Borders outside of some large establishments where one or more professional gardeners were employed, who were familiar with the beauties of the hardy borders as found in almost every garden on the other side of the Atlantic, and who knew how to plan, and plant, and care for them. But a great change has taken place in this country within the last ten years, and there is now a steady and growing interest in this class of plants, and to-day almost everyone who is fortunate enough to have even a small garden devotes at least a part of it to hardy plants.

This change has, in a measure, been created by the many books on Gardening published in recent years, almost every one of which included a chapter or more on the hardy border, while some of them were devoted exclusively to hardy plants. The *Horticultural Press* has also been a great factor in stimulating interest in hardy plants. Unfortunately, while nearly all of the books and magazine articles give glowing descriptions of the delights of the Hardy Border and describe in detail many of the plants, none, as far as we know, give any drawings or plans showing how such a border should be made, or showing the proper location for the various plants in same. The usual excuse for this omission was that each garden demanded special treatment, and that no plan or set of plans could be used for any great number of places, and while this is in many cases true, we feel sure that the several plans which have been prepared by our own expert, embodying our own ideas, and which are reproduced on page 12 and 13 of this book, will enable many amateurs to undertake the making of a hardy border who have until now been deterred from doing so by not knowing how to go about it.

The plants which we have selected to fill the various sections in the borders illustrated are the kinds that always do well and are most likely to give satisfactory results. Some planters may prefer to make their own selection, and we like to encourage this, as it gives to every border a touch of individuality, and to make this easy we give on pages 2 to 10 and 14 to 20 a complete alphabetical list of the hardy plants we offer this season, together with their color, average height of growth, time of flowering, and whether suited for a sunny or shady location. This list should make it comparatively easy, even for a novice, to make a selection to fill a bed of any size or shape without making a serious blunder.

We strongly recommend that all hardy borders should have a few clumps of spring-flowering bulbs interspersed along the front, including Snowdrops, Scillas, Chionodoxas, Crocus, Narcissus, Cottage Garden Tulips, Spanish Iris, etc., etc. These should be planted from September to November, and will greatly add to the interest of the border during the early spring months. We also suggest the putting of a few clusters of Annuals here and there throughout the border to add color during the hot summer months. For this purpose there is nothing better than Marigolds, Gaillardias, Zinnias, Antirrhinums, etc., etc., a few seeds of which can be sown during May in the spaces where they are wanted to bloom.

THE MAKING AND CARE OF AN OLD-FASHIONED HARDY BORDER.

Frequent are the discussions and many are the ideas concerning their cultivation and the best method of arranging them in the garden. In arranging hardy flowers one should never forget the ways of Nature, choosing the flowers she uses in the positions she thinks most suitable, while endeavoring to conceal stiffness of arrangement by a careful study of her plans and the judicious use of the beautiful hardy plants at our disposal.

Situation.—There is no class of plants which lend themselves to such varied assortment of climatic or soil conditions, but the most effective position for Hardy Perennial plants in general is a good open border, backed by a hedge, a fence or trellis covered with Rambling Roses or any other hardy climbing vines, while some of the taller-growing sorts, such as Hollyhocks, Sunflowers, Rudbeckias, Boltonias, Bocconias, etc., are also very attractive when planted throughout a shrubby border, their showy flowers forming a bright contrast with the foliage of the shrubs throughout the summer and fall, when few of the latter are in bloom.

Soil and Planting.—Cultivation is of the simplest, beginning with any good garden soil as a foundation, which may be enriched with such fertilizers as well-decomposed manure, bone-meal, or sheep manure deeply dug and well pulverized. The best time to plant hardy plants is just when they are emerging into life after their season's rest, when the weather is favorable and the soil in condition, or they may be set out in the autumn. Above all things avoid wet planting. Do not make the common mistake of overcrowding; give each plant sufficient room to allow it to develop to its full size. The nearest approach to a rule which may be followed in planting being to set out plants which grow to a height of 2 feet or less 12 inches apart, and all others space equal to one-half their height when developed. For example, Aquilegias and Gypsophila, which grow 2 feet high, may be planted 12 inches apart, while Delphinium formosum and Japanese Iris, which grow 3 feet high, should be 18 inches apart. Care should also be taken to blend the colors throughout the garden, so as to prevent too many of one shade of color coming together, causing jarring contrasts. The season of flowering of the different types should also be taken into account, and the different plants as evenly dispersed as possible in order to maintain an equality of flowering plants, leaving no portion of the garden bare or flowerless, nor crowding together too many that bloom at the same time.

Care in Summer.—During the growing season careful attention should be given if best results are to be obtained. There is nothing so beneficial as frequent stirring up around the plants, and raking the ground into order again; it allows the air to move more freely through the surface of the soil, thereby encouraging growth and keeping the weeds in check. During hot, dry weather, or when it is not convenient to water, a mulch of any loose, light material will be found very beneficial in retaining the moisture and in keeping the soil from baking; short grass, the rakings of the lawn after cutting, is excellent material for this purpose. Early in summer many varieties will have made considerable growth, and the supporting of these should be taken up in time. It is hardly possible to stake and tie up a plant so that it will have the same graceful appearance as if grown naturally without their aid; still, supports should be inserted at all tall-growing sorts early in the season while the plants are small. In this way they will lend themselves more naturally to their support than if this work is accomplished after the plants have made considerable growth. Once the plants get broken down or allowed to get "set" it is impossible to tie them up into natural shape again. This phase of summer work in the garden is often considered a matter of small importance, yet the difference between doing same in a slipshod and a workman-like manner is most apparent; and, while fully sympathizing with those who may not be able to

spare the time or who may not have the materials at hand necessary to perform this work in the best possible manner, it cannot be too strongly emphasized that these are two of the most important factors in the successful cultivation of all out-of-door plants. The removal of old flower stems will also materially help the appearance of the plants at all times, many species responding to this treatment with an extra crop of flowers later in the season. All decayed foliage should also be removed, so as to keep the garden neat and tidy at all seasons.

Winter Care.—About the middle of November or later, when all the soft growth has been killed by the frost and the plants are thoroughly ripened, the old hard-wooded stems should be removed and burnt up. It will then be found beneficial to cover the plants with a top dressing of loose stable litter, or, if this is not to be had, a covering of leaves—Nature's protection. This covering is best applied when the ground is in a dry condition, and should not be overdone, two or three inches spread over loosely being all that is required. A deeper covering would incite the plants into premature growth in the early spring, with a liability of damage by late frosts; don't be in a hurry to cover the plants; a little frost will do them good. As the extreme cold weather begins to disappear this covering should be removed by degrees, allowing any young growths which the plants may have made to gradually harden off. This process usually occupies only a few days, after which the plants may be fully exposed to the sunshine, and the litter or covering which has protected them during the winter may be raked up and removed.

Replanting.—It is all nonsense to suppose that Hardy Perennials once planted require no attention for several years. The truth is, if we wish them to give entire satisfaction, we must each spring see that each variety is treated in the best manner to insure its fullest development during the next flowering season. Many ideas are advanced on the question of how often they ought to be divided and transplanted, but no positive rule can be applied. Some sorts will take two or three years or even longer to get established and develop their fullest beauty after being transplanted, and usually the longer they are allowed to grow without disturbance the better results will be accomplished, while others should be transplanted or reset each season.

Most hardy plants which flower during the spring or early summer months, such as Anthericum, Pæonies, Doronicum, Dielytras, etc., produce their new growth from the crown of close, compact roots, and are better if left undivided and undisturbed for several years, the only care necessary for these being a liberal covering with fresh soil or compost early in spring. The late summer and autumn blooming species are usually of a more vigorous growth. Such sorts as Helianthus, Rudbeckias, Asters, Boltonias, Physostegias, etc., on which the original crowns die out each season and many new side-growths are made, are far better if replanted each season, selecting from three to five of the strongest growths, which, after the ground has been redug and enriched, may be reset in the same position or replanted to another section of the garden. Treated in this manner, they will not only produce flowers of larger size and finer colors, but will keep the stronger and more rampant growing varieties from crowding out their equally interesting but less vigorous neighbors.

Many not thoroughly familiar with this class of plants have an idea that nothing but a large field-grown clump will give satisfactory returns the first season. This, as experience has taught us, is in most instances a mistake. A vigorous plant of proper size will, in nearly every case, give quicker and better returns than the best so-called "field clumps." The majority of the stock offered in this catalogue is pot-grown. This does not mean that the plants have been altogether pot-grown, but that they have been field-grown and dug and potted up during the fall months, and such stock can be planted, even late in the spring, with practically no loss, which, in the case of clumps, is often quite serious. The following letter from the well-known and successful amateur, W. C. Egan, endorses our views on this matter.

GENTLEMEN—Your shipment of perennials arrived safely to-day in most excellent order. It certainly is a pleasure, as well as a profit, to receive plants from you. Your system of growing these in pots allows shipment without disturbing the roots, thus insuring uninterrupted growth and no loss in planting.

EGANDALE, ILL.

Respectfully yours,


W. C. EGAN.

COMPLETE LIST OF


Dreer's Old-Fashioned Hardy Plants

WE GIVE on pages 2 to 10 and 14 to 20 a complete list of the Hardy Plants we offer this season, together with the general color effect, average height in inches, time of blooming in the latitude of Philadelphia, whether suited for a sunny, shady or partial shady location and price. For full descriptions kindly refer to our Garden Book or general catalogue, a copy of which we will be pleased to send on application.

	Color.	Height Inches.	Time of Flowering.	Location.	Each.	Doz.
<i>Acrea</i> (New Zealand Burr)						
<i>Microphylla</i>	or. foliage	trailing	sunny	\$0.25	\$2.50
<i>Acanthus</i> (Bear's Breech)						
<i>Mollis latifolius</i>	or. foliage	36	Aug-Sept	sunny	.25	2.50
<i>Achillea</i> (Milfoil or Yarrow)						
<i>Eupatorium</i>	yellow	48-60	July-Sept	sunny	.15	1.50
<i>Filipendula</i>	yellow	24	July	sunny	.15	1.50
<i>Millefolium roseum</i>	pink	18	June-Sept	sunny	.15	1.50
<i>Ptarmica fl. pl. The Pearl</i>	white	24	July-Aug	sunny	.15	1.50
" " " <i>Boule de Neige</i>	white	24	July-Aug	sunny	.15	1.50
<i>Tomentosa</i>	yellow	12	June	sunny	.15	1.50
<i>Aconitum</i> (Monks-hood or Helmet Flower)						
<i>Napellus</i>	dark blue	36-42	Aug-Sept	shady	.25	2.50
" <i>bicolor</i>	blue and white	36	Aug-Sept	shady	.25	2.50
<i>Fischeri</i>	pale blue	18	Sept-Oct	shady	.25	2.50
<i>Lycotomum</i>	pale yellow	36	June-July	shady	.25	2.50
Spark's variety	dark blue	42	June	shady	.25	2.50
<i>Wilsoni</i>	violet-blue	60-72	September	shady	.25	2.50
<i>Adenophora</i>						
<i>Megalantha</i>	porcelain blue	18	June-Oct	sunny	.35	3.50
<i>Potanini</i>	light-blue	18	July-Sept	sunny	.25	2.50
<i>Adonis</i> (Bird's Eye)						
<i>Amurensis</i>	yellow	12	March-April	sunny	.50	5.00
" <i>fl. pl.</i>	yellow	12	March-April	sunny	.50	5.00
<i>Egopodium</i> (Bishop's Weed)						
<i>Podagrarica variegata</i>	or. foliage	12	sun or shade	.15	1.50
<i>Etheopappus</i>						
<i>Pulcherrimus</i>	rose	24-30	July	sunny	.25	2.50
<i>Agrostemma</i> (Rose Champion)						
<i>Coronaria</i>	crimson	30-36	June-July	sunny	.15	1.50
<i>Flos Jovis</i>	deep pink	12	June-July	sunny	.15	1.50
<i>Ajuga</i> (Bugle)						
<i>Reptans rubra</i>	purplish blue	6	May	sun or shade	.15	1.50
<i>Alchemilla</i> (Lady's Mantle)						
<i>Major</i>	or. foliage	trailing	sun or shade	.25	2.50
<i>Alstromeria</i> (Chilian Lily)						
<i>Chilensis</i>	orange	24	July-Sept	partial shade	.15	1.50
<i>Alyssum</i> (Mad-wort)						
<i>Rostratum</i>	yellow	12	June-July	sunny	.25	2.50
<i>Saxatile compactum</i>	yellow	12	May	sunny	.25	2.50
<i>Anchusa</i> (Alkanet or Bugloss)						
<i>Italica, Dropmore variety</i>	blue	36-60	May-July	sunny	.25	2.50
" <i>Opal</i>	blue	36-60	May-July	sunny	.25	2.50
<i>Myosotidiflora</i>	blue	10-12	April-May	sun or shade	.25	2.50
<i>Anemone</i> (Windflower)						
<i>Japonica alba</i>	white	24-36	Sept-Oct	sunny	.15	1.50
" <i>Alice</i>	silvery rose	24-36	Sept-Oct	sunny	.30	3.00
" <i>Geante Blanche</i>	white	36	Sept-Oct	sunny	.30	3.00
" <i>Kriemhilde</i>	rose-pink	24-36	Sept-Oct	sunny	.30	3.00
" <i>Loreley</i>	mauve-pink	24-36	Sept-Oct	sunny	.30	3.00
" <i>rubra</i>	rosy-red	18-24	Sept-Oct	sunny	.15	1.50
" <i>Prince Henry</i>	deep pink	24-36	Sept-Oct	sunny	.15	1.50
" <i>Queen Charlotte</i>	soft pink	30-36	Sept-Oct	sunny	.15	1.50
" <i>rosea superba</i>	silvery-rose	24-36	Sept-Oct	sunny	.15	1.50
" <i>Whirlwind</i>	white	24-36	Sept-Oct	sunny	.15	1.50
<i>Hupehensis</i>	mauve-rose	10-12	Aug-Oct	sunny	.25	2.50
<i>Pennsylvanica</i>	white	12-15	June-Aug	sun or shade	.15	1.50
<i>Pulsatilla</i>	violet	9-12	April-May	sunny	.15	1.50
<i>Sylvestris</i>	white	6-10	April-May	sunny	.15	1.50
<i>Anemonopsis</i>						
<i>Macrophylla</i>	violet	18-24	August	partial shade	.50	5.00
<i>Anthemis</i> (Marguerite)						
<i>Tinctoria</i>	yellow	15	June-Oct	sunny	.15	1.50
" <i>Alba</i>	white	15	June-Oct	sunny	.15	1.50
" <i>Pallida</i>	canary yellow	15	June-Oct	sunny	.15	1.50
<i>Anthericum</i> (St. Bruno's Lily)						
<i>Lilium giganteum</i>	white	24-30	May	sun or shade	.25	2.50
<i>Aquilegia</i> (Columbine)						
<i>Akitensis</i>	blue and yellow	18-24	May	sunny	.50	5.00
<i>Californica hybrida</i>	various	24-36	May-June	sunny	.15	1.50
<i>Canadensis</i>	red and yellow	12-24	May	sunny	.15	1.50
<i>Chrysantha</i>	yellow	24-36	June	sunny	.15	1.50
" <i>Alba</i>	white	24-36	June	sunny	.15	1.50
<i>Coerulea</i>	blue	24-36	June	sunny	.15	1.50
<i>Flabellata nana alba</i>	white	15	June	sunny	.15	1.50
<i>Helene</i>	blue and white	24	June	sunny	.15	1.50
<i>Truncata</i>	scarlet and yellow	24-30	June	sunny	.15	1.50
<i>Vulgaris</i>	violet-blue	18-24	June	sunny	.15	1.50
<i>Arabis</i> (Rock Cress)						
<i>Alpina</i>	white	6-8	April-May	sunny	.15	1.50
" <i>Flore Plena</i>	white	6-8	April-May	sunny	.25	2.50
<i>Aralia</i>						
<i>Cashmeriana</i>	white	60-72	June	partial shade	.25	2.50
<i>Armeria</i> (Thrift)						
<i>Maritima splendens</i>	pink	9	June-Aug	sunny	.15	1.50
" <i>alba</i>	white	9	June-Aug	sunny	.15	1.50



Anchusa Italica, Dropmore Variety.



Anemone Japonica.




Artemisia Lactiflora.

	Color.	Height Inches.	Time of Flowering.	Location.	Price.	
					Each.	Doz.
Artemisia						
Abrotanum	yellowish	24	Aug-Sept	sunny	\$0.15	\$1.50
Lactiflora	creamy-white	42-54	Aug-Sept	sunny	.25	2.50
Pedemontana	yellowish	9	July-Aug	sunny	.15	1.50
Stelleriana	yellow	18	August	sunny	.15	1.50
Asclepias (Butterfly Weed)						
Incarinata rosea	rosy-flesh	36	July-Aug	sunny	.15	1.50
Tuberosa	orange	30	July-Aug	sunny	.15	1.50
Aster (Michaelmas Daisies, or Starworts)						
Acris	violet-blue	15	July-Aug	sunny	.25	2.50
Alpinus	purple	6-10	May-June	sunny	.20	2.00
" albus	white	6-10	May-June	sunny	.20	2.00
" Nixe	violet-blue	10-12	May-June	sunny	.25	2.50
Amellus. Beauty of Ronsdorf	lilac-rose	15	July-Aug	sunny	.25	2.50
" Perry's Favorite	clear-rose	12	July-Aug	sunny	.25	2.50
" Preciosa	violet-blue	12-15	July-Aug	sunny	.25	2.50
Beauty of Colwall	ageratum-blue	36-48	September	sunny	.25	2.50
Boule de Neige	white	24-30	September	sunny	.15	1.50
Curtisi	heliotrope	36	Aug-Sept	sunny	.15	1.50
Double White Japanese	white	24	July-Sept	sunny	.30	3.00
Feltham Blue	aniline-blue	30	Aug-Sept	sunny	.25	2.50
Formosissimus	violet	36	Sept-Oct	sunny	.15	1.50
Grandiflorus	bluish-violet	24-30	Oct-Nov	sunny	.35	3.50
Lavis floribunda	heliotrope	48	Sept-Oct	sunny	.15	1.50
Novæ Angliæ	violet-purple	48	Sept-Oct	sunny	.15	1.50
" Lil Fardell	bright mauve	48	Sept-Oct	sunny	.15	1.50
" rosea	purplish-mauve	48	Sept-Oct	sunny	.15	1.50
Novi-Belgii Climax	light lavender	60	Aug-Oct	sunny	.50	5.00
" Saphir	sky-blue	36	Sept-Oct	sunny	.15	1.50
" St. Egwin	bright pink	30-36	Sept-Oct	sunny	.25	2.50
Peggy Ballard	lavender-blue	48	Sept-Oct	sunny	.15	1.50
Ptarmicoides	white	15	July-Aug	sunny	.25	2.50
Schoen Rottrout	rosy-white	48	Sept-Oct	sunny	.15	1.50
Snowflake	white	18	Sept-Oct	sunny	.15	1.50
Sub-cœruleus	bluish-violet	12	June-July	sunny	.20	2.00
Tataricus	bluish-violet	72	October	sunny	.15	1.50
Thompsoni	Venetian-blue	15-18	July-Aug	sunny	.25	2.50
Astilbe						
Arendsi Ceres	light rose	30-42	June-July	half shade	.35	3.50
" Pink Pearl	silvery-pink	30-42	June-July	half shade	.35	3.50
" Salmon Queen	salmon-pink	30-42	June-July	half shade	.35	3.50
" Venus	deep rose	30-42	June-July	half shade	.35	3.50
" Vesta	lilac-rose	30-42	June-July	half shade	.35	3.50
" mixed seedlings	various	30-42	June-July	half shade	.30	3.00
Davidi	rose-violet	60-72	June-July	half shade	.25	2.50
Grandis	white	60-72	June-July	half shade	.25	2.50
Hybrida Gruno	salmon-pink	48	June-July	half shade	.50	5.00
" Moerheimi	creamy white	60-72	June-July	half shade	.75	7.50
" Salland	red	72	June-July	half shade	.50	5.00
Simplicifolia	white	4-5	July	half shade	.50	5.00
Astrantia (Master-wort)						
Major	pinkish	15-18	June	sunny	.25	2.50
Aubretia (False Wall Cress)						
Leichtlini	crimson	4	April-May	sunny	.15	1.50



Boltonia.



Campanula Medium (Canterbury Bells).



Caryopteris.

	Color.	Height Inches.	Time of Flowering.	Location.	Price.	
					Each.	Doz.
Baptisia (False Indigo)						
<i>Australis</i>	dark blue	24	June	sunny	\$0.15	\$1.50
<i>Tinctoria</i>	yellow	24-30	June	sunny	.15	1.50
Bellis (English Daisy)						
<i>Perennis</i> , fl. pl.	white and pink	4	April-May	sunny	.10	.75
Bletia						
<i>Hyacinthina</i>	rosy-pink	12	May-June	shady	.30	3.00
Bocconia (Plume Poppy, or Tree Celandine)						
<i>Cordata</i>	creamy-white	72-96	July-Aug	sunny	.15	1.50
Boltonia (False Chamomile)						
<i>Asteroides</i>	white	60-84	August	sunny	.15	1.50
<i>Latisquama</i>	pink	48-72	Aug-Sept	sunny	.15	1.50
<i>nana</i>	pink	24	Aug-Sept	sunny	.15	1.50
Calimeris (Starwort)						
<i>Incisa</i>	pale lavender	12-18	July-Sept	sunny	.25	2.50
Callirhoe (Poppy Mallow)						
<i>Involutrata</i>	rosy-crimson	6	June-Oct	sunny	.15	1.50
Caltha (Marsh Marigold)						
<i>Palustris</i>	yellow	12-15	May-June	sunny	.15	1.50
<i>fl. pl.</i>	yellow	12-15	May-June	sunny	.25	2.50
<i>semi-plena</i>	yellow	12-15	May-June	sunny	.35	3.50
Campanula (Bellflowers)						
<i>Carpatica</i>	blue	8	June-Oct	sunny	.15	1.50
<i>alba</i>	white	8	June-Oct	sunny	.15	1.50
<i>Glomerata</i>	violet-blue	18	June-Aug	sunny	.15	1.50
<i>Superba</i>	violet-blue	18-24	June-Aug	sunny	.25	2.50
<i>Grandis</i>	violet-blue	18	May-June	sunny	.25	2.50
<i>Grosseki</i>	dark blue	24	June-Oct	sunny	.15	1.50
<i>Lactiflora alba magnifica</i>	white	30	July-Aug	sunny	.50	5.00
<i>Coerulea</i>	pale blue	30	July-Aug	sunny	.25	2.50
<i>Latifolia macrantha</i>	purple-blue	36	May-June	sunny	.15	1.50
<i>Medium</i>	blue	36	May-June	sunny	.15	1.50
"	white	36	May-June	sunny	.15	1.50
"	rose	36	May-June	sunny	.15	1.50
<i>Persicifolia</i>	blue	24	June-July	sunny	.15	1.50
<i>alba</i>	white	24	June-July	sunny	.15	1.50
<i>gigantea Moerheimi</i>	white	24-30	June-July	sunny	.25	2.50
<i>Punctata</i>	white, spotted rose	12	May-June	sunny	.15	1.50
<i>Pyramidalis</i>	blue	48-72	August	sunny	.25	2.50
<i>Rotundifolia</i>	blue	10-12	June-Aug	sunny	.15	1.50
<i>Trachelium</i>	purple	36	June-July	sunny	.15	1.50
Caryopteris (Blue Spiræa)						
<i>Mastacanthus</i>	light blue	30-36	Sept-Oct	sunny	.15	1.50
Cassia (American Senna)						
<i>Marilandica</i>	yellow	36-48	July-Aug	sunny	.15	1.50
Centaurea (Hardheads, or Knapweed)						
<i>Hirta nigra variegata</i>	purple	18-24	July-Aug	sunny	.15	1.50
<i>Dealbata</i>	bright rose	18	July-Sept	sunny	.15	1.50
<i>Macrocephala</i>	yellow	36-42	July-Aug	sunny	.15	1.50
<i>Montana</i>	violet-blue	24	July-Sept	sunny	.15	1.50
<i>alba</i>	White	24	July-Sept	sunny	.15	1.50
Cephalaria (Roundheads)						
<i>Alpina</i>	sulphur	72	June-July	sunny	.25	2.50
Cerastium (Snow in Summer)						
<i>Tomentosum</i>	white	6	June	sunny	.15	1.50



Chelone.



Pompon Chrysanthemums.



Cimicifuga Simplex.


	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Doz.
Chamaelirium						
Luteum	creamy-yellow	6-24	June-July	shady	\$0.25	\$2.50
Chelone (Shell Flower)						
Glabra alba	creamy-white	18-24	July-Sept	sunny	.25	2.50
Lyoni	rosy-red	18-24	July-Sept	sunny	.25	2.50
Chrysanthemum						
Arcticum	white	15	Sept-Oct	sunny	.15	1.50
Leucanthemum flore pleno	white	15	June-July	sunny	.50	5.00
Nipponicum	white	24	Sept-Oct	sunny	.15	1.50
Shasta Daisy Alaska	white	24	June-Oct	sunny	.25	2.50
" " Mixed Seedlings	white	24	June-Oct	sunny	.15	1.50
Large-flowering Autumn Glow	crimson	24	Oct-Nov	sunny	.15	1.50
" " Indian	red	24	Oct-Nov	sunny	.15	1.50
" " Golden Queen	yellow	24	Oct-Nov	sunny	.15	1.50
" " Old Homestead	pink	24	Oct-Nov	sunny	.15	1.50
" " Victory	white	18	Oct-Nov	sunny	.15	1.50
Pompon Celco	orange-yellow	24	Oct-Nov	sunny	.10	1.00
Golden Climax	golden-yellow	24	Oct-Nov	sunny	.10	1.00
Globe d'Or	lemon-yellow	15	Oct-Nov	sunny	.10	1.00
Iva	Bronze	24	Oct-Nov	sunny	.10	1.00
Julia Lagravere	garnet	24	Oct-Nov	sunny	.10	1.00
Klondike	yellow	24	Oct-Nov	sunny	.10	1.00
Lyndhurst	deep red	24	Oct-Nov	sunny	.10	1.00
Maid of Kent	rosy-white	24	Oct-Nov	sunny	.10	1.00
Minta	delicate pink	18	Oct-Nov	sunny	.10	1.00
Model of Perfection	white	24	Oct-Nov	sunny	.10	1.00
Mrs. Porter	bronze	24	Oct-Nov	sunny	.10	1.00
Nio	shell-pink	24	Oct-Nov	sunny	.10	1.00
President	purple-crimson	24	Oct-Nov	sunny	.10	1.00
Rufus	crimson-maroon	24	Oct-Nov	sunny	.10	1.00
Sir Michael	lemon	24	Oct-Nov	sunny	.10	1.00
Skibo	bronzey-yellow	24	Oct-Nov	sunny	.10	1.00
Sœur Melanie	white	24	Oct-Nov	sunny	.10	1.00
St. Iloria	silvery-rose	24	Oct-Nov	sunny	.10	1.00
Sunshine	yellow	24	Oct-Nov	sunny	.10	1.00
The Hub	white	24	Oct-Nov	sunny	.10	1.00
Victor	rosy-crimson	18	Oct-Nov	sunny	.10	1.00
Waco	white	24	Oct-Nov	sunny	.10	1.00
Zenobia	yellow	24	Oct-Nov	sunny	.10	1.00
Cimicifuga (Snake-Root)						
Acerina, or Japonica	white	30	Aug-Sept	partial shade	.25	2.50
Dahurica	creamy-white	42	September	partial shade	.25	2.50
Racemosa	white	48-72	July-Aug	partial shade	.25	2.50
Simplex	white	30-36	Sept-Oct	partial shade	.50	5.00
Claytonia (Spring Beauty)						
Virginia	light pink	3	March-April	shade	.15	1.50
Clematis						
Davidiana	light blue	24-30	Aug-Sept	sunny	.15	1.50
Heracleæfolia	pale blue	30	Aug-Sept	sunny	.25	2.50
Recta	white	24-36	June-July	sunny	.25	2.50
Recta fl. pl.	white	24-36	June-July	sunny	.50	5.00
Convallaria (Lily of the Valley)						
Majalis	white	6	May	sun or shade	.25	2.50
Coreopsis						
Lanceolata grandiflora	yellow	24-36	June-Sept	sunny	.15	1.50
Rosea	pale pink	12	Aug-Sept	sunny	.15	1.50
Verticillata	yellow	24	July-Aug	sunny	.15	1.50
Coronilla (Crown Vetch)						
Varia	pink and white	12-18	June-Aug	sunny	.15	1.50



Coreopsis Lanceolata Grandiflora.



Delphinium.



Digitalis.

	Color.	Height Inches.	Time of Flowering.	Location.	Price.	
					Each.	Doz.
Delphinium (Hardy Larkspur)						
Amos Perry	rosy-mauve	36-48	June-Sept	sunny	\$0.35	\$3.50
Belladonna	turquoise-blue	36-48	June-Sept	sunny	.25	2.50
Carmen	gentian-blue	36-48	June-Sept	sunny	.40	4.00
Chinense	gentian-blue	24-30	June-Sept	sunny	.15	1.50
" album	white	24-30	June-Sept	sunny	.15	1.50
Formosum	dark blue	36-48	June-Sept	sunny	.15	1.50
Gold Medal hybrids	all colors	36-60	June-Sept	sunny	.15	1.50
Julia	cornflower-blue	36-60	June-Sept	sunny	.35	3.50
King of Delphiniums	deep blue	48-60	June-Sept	sunny	.60	6.00
Lamartine	gentian-blue	36-48	June-Sept	sunny	.30	3.00
Lizzie	azure-blue	36-48	June-Sept	sunny	.35	3.50
Mme. Violet Geslin	clear blue	48-60	June-Sept	sunny	.50	5.00
Moerheimi	pure white	36-48	June-Sept	sunny	.30	3.00
Mrs. Creighton	oxford blue	36-48	June-Sept	sunny	.30	3.00
Mrs. Thompson	deep blue	36-48	June-Sept	sunny	.30	3.00
Persimmon	sky-blue	36-48	June-Sept	sunny	.35	3.50
Queen Wilhelmina	lavender-blue	36-48	June-Sept	sunny	.35	3.50
Rev. E. Lascelles	deep blue	48-60	June-Sept	sunny	1.00	10.00
Dianthus (Pinks, Sweet William)						
Barbatus Newport Pink	watermelon-pink	18	June	sunny	.10	1.00
" Scarlet	deep scarlet	18	June	sunny	.10	1.00
" White	white	18	June	sunny	.10	1.00
" mixed	all colors	18	June	sunny	.10	1.00
Deltoides	pink	6-9	June-July	sunny	.15	1.50
" Alba	white	6-9	June-July	sunny	.15	1.50
Latifolius atrococcineus fl. pl.	crimson	10-12	June-Sept	sunny	.15	1.50
Neglectus	pink	9	May-June	sunny	.15	1.50
Plumarius Delicata	rose	12	May-June	sunny	.25	2.50
" Elsie	rose and maroon	12	May-June	sunny	.15	1.50
" Gloriosa	lilac-mauve	12	May-June	sunny	.25	2.50
" Her Majesty	white	12	May-June	sunny	.15	1.50
" Homer	rosy-red	12	May-June	sunny	.15	1.50
" James Douglas	white and crimson	12	May-June	sunny	.15	1.50
" Juliette	white and crimson	12	May-June	sunny	.15	1.50
" Snow	white	12	May-June	sunny	.15	1.50
" Souv. de Salle	rosy-red	12	May-June	sunny	.15	1.50
" White Reserve	white	12	June-Oct	sunny	.15	1.50
" mixed seedlings	all colors	12	May-June	sunny	.10	1.00
Dictamnus (Gas Plant)						
Fraxinella	rosy-pink	24-30	June-July	sunny	.15	1.50
" alba	white	24-30	June-July	sunny	.15	1.50
" Caucasicus	rosy-pink	24-30	June-July	sunny	.25	2.50
Diclytra (Bleeding Heart, or Seal Flower)						
Spectabilis	pink	24	May	sun or shade	.15	1.50
Formosa	pink	12-15	May-Aug	sunny	.15	1.50
Digitalis (Foxglove)						
Ambigua, or grandiflora	pale yellow	24-36	June-July	sun or partial shade	.15	1.50
Gloxiniiflora	various	48-72	June-July	sun or partial shade	.15	1.50
Lanata	chocolate and white	24-36	July-Aug	sun or partial shade	.15	1.50
Doronicum (Leopard's Bane)						
Caucasicum	yellow	12	May	sunny	.25	2.50
Clusii	yellow	18-24	May	sunny	.25	2.50
Excelsum	yellow	24-36	May	sunny	.25	2.50
Draba (Whitlow Grass)						
Androsacea	white	trailing	May	sunny	.25	2.50

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Doz.
Echinops (Globe Thistle)						
Ritro	metallic-blue	24-36	July-Sept	sunny	\$0.25	\$2.50
Sphaerocephalus	bluish-white	36-42	July-Sept	sunny	.25	2.50
Eomecon (Eastern Poppy).						
Chionantha	white	24	July-Aug	sunny	.25	2.50
Epimedium (Barrenwort, Bishop's Hat)						
Alpinum	crimson and yellow	8-10	May	partial shade	.25	2.50
Muschianum	rosy-red	8-10	May	partial shade	.25	2.50
Niveum	white	6-8	May	partial shade	.25	2.50
Sulphureum	yellow	8-10	May	partial shade	.25	2.50
Violaceum	violet	8-10	May	partial shade	.25	2.50
Erigeron (Flea Bane)						
Intermedium	rosy-white	24	June-July	sunny	.25	2.50
Speciosus roseus	rosy-pink	24	June-Aug	sunny	.25	2.50
Eryngium (Sea Holly)						
Amethystinum	blue	24-30	July-Aug	sunny	.25	2.50
Maritimum	pale blue	12-15	July-Sept	sunny	.25	2.50
Eupatorium (Thorough-wort)						
Ageratoides	white	36-42	Aug-Sept	sunny	.15	1.50
Coelestinum	light blue	18-24	Aug-Sept	sunny	.15	1.50
Purpureum maculatum	reddish-purple	30	Aug-Sept	sunny	.15	1.50
Euphorbia (Milkwort)						
Corollata	white	18	June-Aug	sunny	.15	1.50
Cyparissias	bright yellow	10-12	May	sunny	.15	1.50
Polychroma	chrome yellow	24	April	sunny	.25	2.50
Ferns, Choice Hardy						
Adiantum pedatum (Maiden Hair)		8-12		shady	.20	2.00
Aspidium acrostichoides (Wood Fern)		12		shady	.20	2.00
“ marginale (Evergreen Wood Fern)		12-24		shady	.20	2.00
“ Goldianum (Shield Fern)		24-36		shady	.20	2.00
“ Spinulosum		12-15		shady	.20	2.00
Asplenium filix-fœmina		10-12		shady	.20	2.00
“ “ “ Victoriae (Queen of Lady Ferns)		12-15		shady	.20	2.00
“ “ “ multifidum		12-15		partial shade	.20	2.00
“ “ “ setigerum		15-18		partial shade	.20	2.00
“ “ “ Craigi laciniatum		15-18		shady	.20	2.00
“ “ “ Pulcherimum		12-15		partial shade	.20	2.00
“ Goringianum pictum		10-15		shady	.20	2.00
“ thelypteris		15-18		shady	.20	2.00
“ trichomanes		3-6		partial shade	.20	2.00
Dicksonia punctilobula (Gossamer Fern)		24-36		partial shade	.20	2.00
Lastrea Chrysoloba		12		shady	.20	2.00
“ Pseudo-mas Pinderi		18-24		partial shade	.20	2.00
“ “ “ cristata		12-15		partial shade	.20	2.00
“ filix-mas (Male Fern)		18-24		partial shade	.20	2.00
“ dilatata		18-24		partial shade	.20	2.00
“ “ “ cristata		12-15		partial shade	.50	5.00
“ Fluctuosa		12-15		shady	.20	2.00
“ propingua		15-18		shady	.20	2.00
Nephrodium hertipes		18-24		partial shade	.20	2.00
Onoclea Struthiopteris (Ostrich Fern)		24-36		partial shade	.20	2.00
Osmunda cinnamomea (Cinnamon Fern)		24-36		partial shade	.20	2.00
“ Claytoniana (Flowering Fern)		24-36		partial shade	.20	2.00
“ Palustris Undulata		18		partial shade	.50	5.00
“ regalis (Royal Fern)		24-36		partial shade	.20	2.00
Phegopteris hexagonoptera		10-12		shady	.20	2.00
Polystichum Angulare Divisilobium		15-18		partial shade	.75	7.50
“ “ “ “ Grandis		15-18		shady	.75	7.50
“ “ “ “ Stipulatum		15-18		partial shade	.75	7.50
“ “ “ “ Frondosa		15		partial shade	.75	7.50
“ “ “ “ Multilobatum		15-18		partial shade	.50	5.00
“ “ Braunii		12-15		partial shade	.20	2.00
“ setosum		12		partial shade	.20	2.00
Scolopendrium officinarum (Hart's Tongue)		12		shady	.25	2.50
“ “ “ capitatum		12		shady	.50	5.00
“ “ “ digitatum		12		shady	.50	5.00
“ “ “ undulatum		12		shady	.50	5.00
Funkia (Plantain Lily)						
Coerulea	blue	48	June	sun or shade	.15	1.50
Fortunei gigantea	lilac	30	July	sun or shade	.50	5.00
Minor alba	white	12-15	July	sun or shade	.25	2.50
Lanceolata	lilac	24	September	sun or shade	.15	1.50
Robusta elegans variegata	mauve	30	July	sun or shade	.25	2.50
Sieboldiana	tinted white	30	July	sun or shade	.15	1.50
Subcordata grandiflora	pure white	30-36	Aug-Sept	sun or shade	.15	1.50
Undulata media picta	lilac	24	July	sun or shade	.15	1.50
Gaillardia (Blanket Flower)						
Grandiflora	crimson and orange	24	June-Nov	sunny	.15	1.50
Gentiana (Gentian)						
Andrewsi	blue	24	August	partial shade	.25	2.50
Scabra	blue	18	October	partial shade	.50	5.00
Geranium (Crane's Bill)						
Fremonti	rosy purple	24	July-Aug	sunny	.15	1.50
Grandiflorum	pale lilac-blue	12	June-Aug	sunny	.15	1.50
Platypetalum	rosy-purple	18	June	sunny	.15	1.50
Sanguineum	crimson	18	June-Oct	sunny	.15	1.50
“ album	white	18	June-Oct	sunny	.15	1.50
Geum (Avens)						
Coccineum	scarlet	15	May-July	sunny	.15	1.50
Mrs. Bradshaw	scarlet	15	May-July	sunny	.25	2.50
Miniatum Perry's Variety	orange	15	May-July	sunny	.50	5.00
Gillenia (Bowman's Root)						
Trifoliata	white	36	July	sun or shade	.25	2.50
Glechoma, or Nepeta (Groundsel)						
Variegata	blue	trailing	July	sun or shade	.10	1.00
Grasses and Bamboos						
Arrhenatherum bulbosum variegatum		6-8		sun or shade	.25	2.50
Arundo Donax		96-240	October	sunny	.25	2.50
“ “ variegata		96-120	October	sunny	.25	2.50



Gaillardia Grandiflora.



Gypsophila Paniculata Fl. Pl.



Hemerocallis.

Grasses and Bamboos—Continued	Color.	Height Inches.	Time of Flowering.	Location.	Price.	
					Each.	Doz.
<i>Bambusa aurea</i>		180-240	sun or shade	\$1.00	\$10.00
“ <i>auricoma</i>		36	sun or shade	1.00	10.00
“ <i>Fortunei variegata</i>		18	sun or shade	.50	5.00
“ <i>Henonis</i>		120-180	sun or shade	1.00	10.00
“ <i>Metake</i>		72-120	sun or shade	1.00	10.00
“ <i>Simoni</i>		180-240	sun or shade	.75	7.50
“ <i>viminialis</i>		18-24	sun or shade	.75	7.50
<i>Elymus glaucus</i>		24-36	sun or shade	.25	2.50
<i>Erianthus Ravennae</i>		120-144	Sept-Oct	sunny	.25	2.50
<i>Eulalia gracillima univittata</i>		72-84	Sept-Oct	sunny	.25	2.50
“ <i>Japonica</i>		72-84	Sept-Oct	sunny	.25	2.50
“ “ <i>variegata</i>		72-84	Sept-Oct	sunny	.25	2.50
“ “ <i>zebrina</i>		72-84	Sept-Oct	sunny	.25	2.50
“ “ <i>stricta</i>		72-84	Sept-Oct	sunny	.25	2.50
<i>Festuca glauca</i>		8-10	sunny	.25	2.50
<i>Gynerium argenteum</i>		96-120	October	sunny	.50	5.00
<i>Molina Cœrulea</i>		6	sun or shade	.15	1.50
<i>Pennisetum Japonicum</i>		48	Sept-Oct	sunny	.15	1.50
<i>Phalaris arundinacea variegata</i>		12-15	sunny	.15	1.50
<i>Uniola latifolia</i>		36-48	sunny	.15	1.50
Gunnera (Chilian Rhubarb)						
<i>Scabra</i>	or. foliage	60	sunny	.50	5.00
Gypsophila (Baby's Breath)						
<i>Acutifolia</i>	white	24	July	sunny	.15	1.50
<i>Cerastioides</i>	white	3	June-Aug	sunny	.15	1.50
<i>Paniculata</i>	white	24-36	Aug-Sept	sunny	.15	1.50
“ <i>fl. pl.</i>	white	24-36	Aug-Sept	sunny	.25	2.50
<i>Repens</i>	white	trailing	July-Aug	sunny	.15	1.50
Helenium (Sneezewort)						
<i>Aumtumnale superbum</i>	yellow	60-72	Aug-Sept	sunny	.15	1.50
“ <i>rubrum</i>	terra-cotta red	48	Aug-Sept	sunny	.25	2.50
<i>Hopesii</i>	orange-yellow	24	June	sunny	.15	1.50
<i>Pumilum magnificum</i>	golden-yellow	18	July-Sept	sunny	.15	1.50
<i>Riverton Beauty</i>	lemon-yellow	48	Aug-Sept	sunny	.25	2.50
<i>Riverton Gem</i>	wallflower-red	36	Aug-Sept	sunny	.25	2.50
Helianthemum (Rock, or Sun Rose)						
<i>Vulgare, mixed seedlings</i>	all colors	6	July-Sept	sunny	.25	2.50
Helianthus (Hardy Sunflower)						
<i>Giganteus</i>	canary-yellow	72	Sept-Oct	sunny	.15	1.50
<i>Maximiliana</i>	golden-yellow	60-84	October	sunny	.15	1.50
<i>Mollis</i>	lemon-yellow	48	Aug-Sept	sunny	.15	1.50
<i>Multiflorus fl. pl.</i>	golden-yellow	48	July-Aug	sunny	.15	1.50
“ <i>maximus</i>	golden-yellow	60-72	July-Aug	sunny	.15	1.50
<i>Orgyalis</i>	yellow	72	September	sunny	.15	1.50
<i>Rigidus Japonicus</i>	golden-yellow	60	July	sunny	.15	1.50
<i>Sparsifolius</i>	yellow	72-96	Aug-Sept	sunny	.15	1.50
<i>Wolley Dod</i>	deep yellow	72	Aug-Sept	sunny	.15	1.50
Helopsis (Orange Sunflower)						
<i>Pitcheriana</i>	golden-yellow	36	July-Aug	sunny	.15	1.50
“ <i>semi-plena</i>	golden-yellow	24	July-Aug	sunny	.15	1.50
<i>Scabra Zinniaeflora</i>	deep yellow	24-30	July-Aug	sunny	.15	1.50
“ <i>Excelsa</i>	chrome-yellow	36	July-Aug	sunny	.30	3.00
Helleborus (Christmas Rose)						
<i>Niger</i>	tinted white	12-15	early spring	partial shade	.35	3.50
Hemerocallis (Yellow Day Lily)						
<i>Aurantiaca</i>	Indian yellow	36-48	June-July	sun or shade	.25	2.50
“ <i>major</i>	Indian yellow	24-36	June-July	sun or shade	.25	2.50
<i>Citrina</i>	lemon-yellow	48	July-Aug	sun or shade	.50	5.00
<i>Dumortieri</i>	cadmium-yellow	18	June	sun or shade	.15	1.50
<i>Flava</i>	lemon-yellow	30-36	June-July	sun or shade	.15	1.50
<i>Florham</i>	golden-yellow	36-42	June-July	sun or shade	.25	2.50
<i>Fulva</i>	orange	48-60	June-July	sun or shade	.15	1.50
<i>Gold Dust</i>	Indian yellow	30	May-June	sun or shade	.15	1.50
<i>Kwanso Fl. Pl.</i>	deep orange	48-60	July-Aug	sun or shade	.15	1.50
<i>Queen of May</i>	Indian yellow	36-60	May-June	sun or shade	.35	3.50
<i>Thunbergi</i>	buttercup-yellow	48	July-Aug	sun or shade	.15	1.50



Heuchera.



Hibiscus New Giant.



German Iris.

	Color.	Height Inches.	Time of Flowering.	Location.	Price.	
					Each.	Doz.
Hepatica (Liver Leaf)						
Triloba	blue	6	March-April	partial shade	\$0.15	\$1.50
Herniaria (Turk's Herb)						
Glabra	greenish	trailing	July-Aug	sunny	.25	2.50
Hesperis (Rocket)						
Matronalis	pink	36-48	June-July	sunny	.15	1.50
Heuchera (Alum Root or Coral Bells)						
Gracillima Perry's Variety	crimson	18-24	July-Aug	sunny	.50	5.00
Pluie de Feu	raspberry-red	18-24	July-Aug	sunny	.25	2.50
Sanguinea	coral-red	18-24	July-Aug	sunny	.25	2.50
" alba	creamy-white	18-24	July-Aug	sunny	.25	2.50
Virginal	creamy-white	18-24	July-Aug	sunny	.25	2.50
Hibiscus (Mallow)						
Giant-flowering Marshmallows	red, pink, white	60-96	July-Sept	sunny	.35	3.50
Mallow Marvels	all colors	36-60	July-Sept	sunny	.25	2.50
Moscheutos	rosy-red	36-48	July-Sept	sunny	.15	1.50
" Crimson Eye	white	36-48	July-Sept	sunny	.15	1.50
Hieracium (Hawk-weed)						
Aurantiacum	orange	6-24	June-Oct	sunny	.15	1.50
" Rubrum	orange-red	6-24	June-Oct	sunny	.15	1.50
Hollyhocks						
Allegheny, choice mixed	various	72-96	June-July	sunny	.20	2.00
Double-flowering, mixed	various	72-96	June-July	sunny	.20	2.00
" " maroon	maroon	72-96	June-July	sunny	.20	2.00
" " red	red	72-96	June-July	sunny	.20	2.00
" " rose	rose	72-96	June-July	sunny	.20	2.00
" " white	white	72-96	June-July	sunny	.20	2.00
" " yellow	yellow	72-96	June-July	sunny	.20	2.00
" " Newport Pink	pink	72-96	June-July	sunny	.25	2.50
Single-flowering, mixed	various	72-96	June-July	sunny	.20	2.00
Houstonia (Bluets, Quaker Lady or Innocence)						
Serpyllifolia	light blue	trailing	April	sun or shade	.15	1.50
Hypericum (St. John's-wort)						
Adpressum	yellow	6-8	July-Aug	sun or shade	.15	1.50
Moserianum	yellow	24	July-Sept	sunny	.15	1.50
Iberis (Hardy Candytuft)						
Little Gem	white	5-6	May-June	sunny	.15	1.50
Sempervirens	white	8-10	May-June	sunny	.15	1.50
Snowflake	white	8-10	May-June	sunny	.15	1.50
Incarvillea (Hardy Gloxinia)						
Delavayi	rose-red	18	May	sun or shade	.15	1.50
Inula (Flea Bane)						
Ensifolia	yellow	18	June-Aug	sunny	.25	2.50
Montana	yellow	18	June-Aug	sunny	.25	2.50
Oculus-Christi	golden-yellow	24	June-Aug	sunny	.25	2.50
Koyleana	golden-yellow	18-24	July-Aug	sunny	.25	2.50
Iris Germanica (German Iris)						
Black Prince or Black Knight	violet and purple	24-30	May	sunny	1.00	10.00
Blue Boy	lavender-blue	24-30	May	sunny	.15	1.50
Celeste	azure-blue	24-30	May	sunny	.15	1.50
Cherion	lilac-mauve	24-30	May	sunny	.15	1.50
Edith	plumbago-blue	24-30	May	sunny	.15	1.50
Florentina alba	white	36-42	May	sunny	.15	1.50
Gazelle	white and mauve	36-48	May	sunny	.15	1.50
Honorabilis	yellow and brown	24-30	May	sunny	.15	1.50
Johan de Witt	violet-blue	24-30	May	sunny	.15	1.50
King of Iris	lemon and brown	30-36	May	sunny	.50	5.00
La Tendresse	light blue	24-30	May	sunny	.15	1.50
Lohengrin	violet-mauve	24-30	May	sunny	.50	5.00
Lord Salisbury	white and purple	24-30	May	sunny	.15	1.50
Loreley	ultramarine blue	24-30	May	sunny	.50	5.00
Maid Marion	lavender	24-30	May	sunny	.15	1.50
Maori King	yellow and chocolate	24-30	May	sunny	.25	2.50
Mithras	yellow and violet	24-30	May	sunny	.50	5.00



The Celebrated Horikiri Iris Flower Garden, Tokio, Japan.

	Color.	Height Inches.	Time of Flowering.	Location.	Each.	Price. Doz.
Iris Germanica—Continued						
Mme. Chereau	white and blue	36-42	May	sunny	\$0.15	\$1.50
Mrs. H. Darwin	white and violet	30-36	May	sunny	.15	1.50
Nibelungen	yellow and blue	24-30	May	sunny	.50	5.00
Ossian	yellow and violet	24-30	May	sunny	.15	1.50
Pallida Dalmatica	lavender-blue	48	May	sunny	.25	2.50
“ foliis variegatis	pale lavender	24	May	sunny	.50	5.00
“ speciosa	deep lavender	48	May	sunny	.25	2.50
Plicata	violet-purple	24-30	May	sunny	.15	1.50
Plumeri	rosy-mauve	24-30	May	sunny	.15	1.50
Princess Victoria Louise	yellow and plum	24-30	May	sunny	.50	5.00
Queen of May	rose-lilac	24-30	May	sunny	.25	2.50
Rembrandt	lavender	24-30	May	sunny	.15	1.50
Rhein Nixe	violet and white	30-36	May	sunny	.50	5.00
Shakespeare	yellow and violet	24-30	May	sunny	.15	1.50
Spectabilis	violet-purple	24	April-May	sunny	.15	1.50
Tinna	ageratum blue	30-36	May	sunny	.15	1.50
Walneri	lavender and lilac	24	May	sunny	.15	1.50
Choice Mixed	all colors	24-30	May	sunny	.10	1.00
Iris Interregna						
Fritjof	lavender-blue	18	April-May	sunny	.25	2.50
Helge	light citron	18	April-May	sunny	.25	2.50
Ivorene	white	18	April-May	sunny	.25	2.50
Iris Kämpferi (Japanese Iris)						
Yomo-no-umi	white	36-48	June	sunny	.25	2.50
Koki-no-iro	royal-purple	36-48	June	sunny	.25	2.50
Oniga-shima	royal-purple	36-48	June	sunny	.25	2.50
Hano-no-nishiki	violet-purple	36-48	June	sunny	.25	2.50
Shippo	light lilac	36-48	June	sunny	.25	2.50
Shi-un-ryo	white-veined violet	36-48	June	sunny	.25	2.50
Yoshimo	white-veined violet	36-48	June	sunny	.25	2.50
Schuchiukwa	reddish-purple	36-48	June	sunny	.25	2.50
Misutmoshito	purple-marbled white	36-48	June	sunny	.25	2.50
Yayaura	white-marbled blue	36-48	June	sunny	.25	2.50
Tebotan	white-veined blue	36-48	June	sunny	.25	2.50
Yomo-zakuru	lilac-veined purple	36-48	June	sunny	.25	2.50
Tokyo	pure white	36-48	June	sunny	.25	2.50
Tora-odori	white-traced violet	36-48	June	sunny	.25	2.50
Kanarinishiki	white-marbled violet	36-48	June	sunny	.25	2.50
Washi-no-wo	mottled violet-purple	36-48	June	sunny	.25	2.50
Nitari	white overlaid purple	36-48	June	sunny	.25	2.50
Shishi-ikari	white-veined purple	36-48	June	sunny	.25	2.50
Gekka-no-nami	white	36-48	June	sunny	.25	2.50
Kumo-funjin	white-bordered lilac	36-48	June	sunny	.25	2.50
Senjo-no-hora	white and crimson purple	36-48	June	sunny	.25	2.50
Rinno	purple-veined white	36-48	June	sunny	.25	2.50
Uji-no-hotaru	violet-blue	36-48	June	sunny	.25	2.50
Kabata	plumbago-blue	36-48	June	sunny	.25	2.50
Hosokawa	purple-veined white	36-48	June	sunny	.25	2.50
Choice mixed varieties	all colors	36-48	June	sunny	.15	1.50
Iris Pumila Hybrida						
Cyanea	royal purple	10-12	April	sunny	.20	2.00
Excelsa	pale lemon	10-12	April	sunny	.20	2.00
Schneekuppe	pure white	10-12	April	sunny	.20	2.00
Iris, Various Species						
Cristata	rich blue	3	May	sunny	.15	1.50
Cuprea or Fulva	coppery-orange	24	June	sunny	.25	2.50
Graclipes	lilac	8	May	sunny	.25	2.50
Ochroleuca gigantea	pale yellow	48	May-June	sunny	.35	3.50
“ aurea	golden-yellow	48	May-June	sunny	.35	3.50
Pseudacorus	yellow	48	May-June	sunny	.15	1.50
Sibirica	purple	36	June	sunny	.15	1.50
“ alba	white-veined lilac	36	June	sunny	.15	1.50
“ Orientalis	violet-blue	42	June	sunny	.15	1.50
“ Snow Queen	ivory-white	42	June	sunny	.15	1.50
Spuria Mrs. A. W. Tait	porcelain-blue	48	June	sunny	.50	5.00

Dreer's Borders of Hardy Plants

The plans of these, which are illustrated on pages 12 and 13, have been carefully revised and the plants selected to fill the various spaces are those that from experience we unhesitatingly recommend as the best of their respective types, and once planted will succeed with a moderate amount of care under ordinary conditions. The varieties have been arranged to give a succession of flowers and a variety of color throughout the border from the time Spring opens until frost in the Autumn, and a large majority of the sorts are suitable for cut flowers during their respective seasons.

Each border is 100 feet long by different widths and correspond in a general way to the ground usually available for hardy plants in the average garden. The number of plants and the space allotted to each variety permits of the borders being enlarged or diminished and still have the full assortment of varieties; for example, a border 120 feet in length will require 12 plants for each space, while a border 60 feet long will need but 6 plants for each space, the individual spaces being made longer or shorter as the case may be. We will be pleased to advise intending purchasers who contemplate making borders of similar outline to those illustrated, but of different widths, as to how many plants of the same assortment will be necessary to fill their borders.

DREER'S HARDY BORDER No. 1

This border of regular outline, the plan of which is shown on pages 12 and 13, is 100 feet long by 6 feet wide and requires 10 plants each of the 30 varieties enumerated on pages 12 and 13, 300 plants in all.

Price for the lot, either for sunny or shady location, \$30.00.



AN EFFECTIVE HARDY BORDER

DREER'S HARDY BORDER No. 2

This is an irregular border, 100 feet in length by varying widths, the plan of which is shown on pages 12 and 13, and requires 10 plants each of the 50 varieties enumerated on pages 12 and 13—500 plants in all.

Price for the lot, either for sunny or shady location, \$50.00.

DREER'S HARDY BORDER No. 3

This is a double border for both sides of a path, each 100 feet long by 5 feet wide, the plan of which is shown on pages 12 and 13, and requires 10 plants each of the 60 varieties enumerated on pages 12 and 13—600 plants in all.

Price for the lot, either for sunny or shady location, \$60.00.

DREER'S HARDY BORDER No. 4

This border, 100 feet long by 5 feet wide, is one side of our Border No. 3, covering sections No. 1 to No. 30, and requires 10 plants each of 30 varieties—300 plants in all, as enumerated on pages 12 and 13.

Price for the lot for sunny or shady location, \$30.00.

DREER'S HARDY BORDER No. 5

This border, 100 feet long by 5 feet wide, is the other side of our Border No. 3, covering sections No. 31 to No. 60, and requires 10 plants each of 30 varieties—300 plants in all, as enumerated on pages 12 and 13.

Price for the lot, for either sunny or shady location, \$30.00.


It is possible that some of our customers may wish to plant a hardy border, part of which is in the shade and part in the sun. In such cases the sections which are shady should be filled with the plants recommended for such locations, and if customers, in ordering, will state which sections are in shade, we will send the proper plants for same. Unless otherwise specified we will fill all orders with the plants suitable for sunny borders.

With each order we will include a blue print of the border wanted, drawn to scale, which will enable the most inexperienced amateur to set the various plants in their proper positions.

In preparing your border see that it is deeply dug and fertilized as suggested in the cultural notes on page 1. Have your beds ready in advance of the receipt of the plants, so that they may be planted promptly on their arrival. After you have prepared your border, in accordance with the instructions given on page 1, level the surface neatly with a rake, and then mark out the different sections. A cane is as convenient a tool for this purpose as can be used. Place the plants in position in their various sections; then plant and cultivate as recommended in the cultural notes in the opening pages of this book.

The prices at which we offer the above stock are considerably below the regular rates, as in anticipation of a large demand for these collections, we have prepared an extensive stock of the various varieties. We make no charge for packing, which will be done in the most scientific manner, nor for delivery to any express or transportation line in Philadelphia, but the cost for expressage must be paid by the purchaser.

Border
No. 1




LAWN

Plants for Border No. 1 if in a Sunny Position

Section	Section	Section
1 10 Achillea Boule de Neige	11 10 Salvia azurea grandiflora	21 10 Anchusa Dropmore variety
2 10 Sedum spectabile Brilliant	12 10 Aquilegia long-spurred hybrids	22 10 Stokesia cyanea
3 10 Phlox W. C. Egan	13 10 Phlox Mrs. Jenkins	23 10 Pentstemon barbatus Torreyi
4 10 Heliopsis zinniaeflora	14 10 Chelone Lyoni	24 10 Helenium pumilum magnificum
5 10 Dictamnus fraxinella alba	15 10 Pyrethrum uliginosum	25 10 Hemerocallis Thunbergi
6 10 Iris germanica Mme. Chereau	16 10 Tritoma Pfitzeri	26 10 Funkia lanceolata
7 10 Delphinium Belladonna	17 10 Helenium Riverton Gem	27 10 Delphinium formosum
8 10 Funkia subcordata grandiflora	18 10 Rudbeckia Newmani	28 10 Phlox Elizabeth Campbell
9 10 Physostegia Virginica	19 10 Boltonia latisquama	29 10 Lysimachia Fortunei
10 10 Veronica longifolia subsessilis	20 10 Iris interregna Helge	30 10 Statice latifolia

Border
No. 2




LAWN

Plants for Border No. 2 if in a Sunny Position

Section	Section	Section
1 10 Hardy Pink Her Majesty	18 10 Aquilegia chrysantha	35 10 Iris cristata
2 10 Iris germanica Loreley	19 10 Phlox Mrs. Jenkins	36 10 Rudbeckia Newmani
3 10 Helenium pumilum magnificum	20 10 Anchusa Dropmore variety	37 10 Aster Climax
4 10 Plumbago larpentae	21 10 Heliopsis zinniaeflora	38 10 Valeriana officinalis
5 10 Echinops ritro	22 10 Helenium autumnale superbum	39 10 Doronicum caucasicum
6 10 Funkia lanceolata	23 10 Lobelia cardinalis	40 10 Pentstemon pubescens
7 10 Artemisia lactiflora	24 10 Boltonia asteroides	41 10 Hardy Chrysanthemums
8 10 Hemerocallis Dumortieri	25 10 Delphinium Gold Medal	42 10 Scabiosa caucasica
9 10 Campanula carpatica	26 10 Pyrethrum uliginosum	43 10 Boltonia latisquama
10 10 Aster amellus	27 10 Stokesia cyanea blue	44 10 Phlox R. P. Struthers
11 10 Physostegia virginica	28 10 Veronica spicata rosea	45 10 Veronica rupestris
12 10 Tritoma Pfitzeri	29 10 Alyssum saxatile compactum	46 10 Veronica longifolia subsessilis
13 10 Gypsophila paniculata	30 10 Salvia azurea grandiflora	47 10 Lysimachia clethroides
14 10 Platycodon grandiflora	31 10 Chelone Lyoni	48 10 Iris Kaempferi
15 10 Arabis alpina	32 10 Digitalis gloxiniaeflora	49 10 Sedum spectabile
16 10 Veronica incana	33 10 Iris germanica Lohengrin	50 10 Hardy Pink Homer
17 10 Dictamnus fraxinella	34 10 Rhexia virginica	


Border
No. 3



Plants for Border No. 3 if in a Sunny Position

Section	Section	Section
1 10 Sedum spectabile Brilliant	21 10 Iris interregna Helge	41 10 Paeonies assorted
2 10 Gypsophila paniculata	22 10 Platycodon grandiflorum	42 10 Boltonia latisquama
3 10 Dictamnus fraxinella alba	23 10 Phlox Riverton Jewel	43 10 Doronicum excelsum
4 10 Physostegia Virginica	24 10 Hemerocallis Gold Dust	44 10 Delphinium Belladonna
5 10 Digitalis gloxiniaeflora	25 10 Aster St. Egvin	45 10 Aster amellus Preziosa
6 10 Stokesia cyanea	26 10 Paeonies assorted	46 10 Hemerocallis Thunbergi
7 10 Aster tataricus	27 10 Veronica longifolia subsessilis	47 10 Alyssum saxatile compactum
8 10 Phlox Rheinland	28 10 Cnothera Pilgrimi	48 10 Scabiosa caucasica
9 10 Delphinium formosum	29 10 Iris germanica Lohengrin	49 10 Anchusa Opal
10 10 Calimeris incisa	30 10 Funkia lanceolata	50 10 Oriental Poppy Mrs. Perry
11 10 Echinops ritro	31 10 Funkia subcordata grandiflora	51 10 Aquilegia flabellata nana alba
12 10 Veronica incana	32 10 Rudbeckia maxima	52 10 Pyrethrum uliginosum stellatum
13 10 Anchusa Dropmore variety	33 10 Lychnis viscaria splendens	53 10 Eupatorium coelestinum
14 10 Aquilegia chrysantha	34 10 Aster Climax	54 10 Phlox Thor
15 10 Plumbago larpentae	35 10 Lobelia cardinalis	55 10 Valeriana officinalis
16 10 Chelone Lyoni	36 10 Phlox Gefion	56 10 Helenium pumilum magnificum
17 10 Helenium Riverton Beauty	37 10 Iris germanica Mme. Chereau	57 10 Digitalis gloxiniaeflora
18 10 Festuca glauca	38 10 Dictamnus fraxinella	58 10 Rudbeckia Newmani
19 10 Achillea eupatorium	39 10 Salvia azurea grandiflora	59 10 Satureria montana
20 10 Salvia Pitcheri	40 10 Lysimachia Fortunei	60 10 Achillea The Pearl


feet



Plants for Border No. 1 if in a Shady Position


- | | | |
|------------------------------------|-----------------------------------|--------------------------------------|
| Section | Section | Section |
| 1 10 Anemone Queen Charlotte | 11 10 Salvia azurea grandiflora | 21 10 Thalictrum aquilegifolium |
| 2 10 Lily of the Valley | 12 10 Lysimachia clethroides | 22 10 Pulmonaria angustifolia azurea |
| 3 10 Lobelia cardinalis | 13 10 Hemerocallis flava | 23 10 Spirea palmata elegans |
| 4 10 Eupatorium coelestinum | 14 10 Chelone Lyoni | 24 10 Sedum spectabile Brilliant |
| 5 10 Spirea filipendula fl. pl. | 15 10 Valeriana officinalis | 25 10 Hemerocallis Thunbergi |
| 6 10 Cimicifuga racemosa | 16 10 Dielytra formosa | 26 10 Funkia lanceolata |
| 7 10 Aquilegia chrysantha | 17 10 Aconitum Spark's variety | 27 10 Spirea ulmaria fl. pl. |
| 8 10 Funkia subcordata grandiflora | 18 10 Trollius europæus | 28 10 Anemone japonica alba |
| 9 10 Digitalis gloxiniaeflora | 19 10 Eupatorium ageratoides | 29 10 Lysimachia Fortunei |
| 10 10 Polemonium reptans | 20 10 Campanula glomerata superba | 30 10 Violet double Russian |

feet



Plants for Border No. 2 if in a Shady Position

- | | | |
|---------------------------------------|-------------------------------------|----------------------------------|
| Section | Section | Section |
| 1 10 Aquilegia flabellata nana alba | 18 10 Anemone pennsylvanica | 35 10 Primula veris superba |
| 2 10 Anemone japonica alba | 19 10 Chelone glabra alba | 36 10 Platycodon grandiflorum |
| 3 10 Pulmonaria angustifolia azurea | 20 10 Funkia cœrulea | 37 10 Thermopsis caroliniana |
| 4 10 Cerastium tomentosum | 21 10 Spirea palmata | 38 10 Pardonanthus sinensis |
| 5 10 Baptisia australis | 22 10 Artemisia lactiflora | 39 10 Satureia montana |
| 6 10 Funkia lanceolata | 23 10 Echinops ritro | 40 10 Trollius europæus |
| 7 10 Digitalis gloxiniaeflora | 24 10 Spirea aruncus | 41 10 Tradescantia virginica |
| 8 10 Hemerocallis Dumortieri | 25 10 Anemone Queen Charlotte | 42 10 Saxifraga cordifolia |
| 9 10 Myosotis palustris semperflorens | 26 10 Hemerocallis flava | 43 10 Hemerocallis Florham |
| 10 10 Euphorbia corollata | 27 10 Hypericum moserianum | 44 10 Tricyrtis hirta |
| 11 10 Thalictrum aquilegifolium | 28 10 Polemonium reptans | 45 10 Veronica rupestris alba |
| 12 10 Spirea chinensis | 29 10 Tunica saxifraga | 46 10 Spirea filipendula fl. pl. |
| 13 10 Hemerocallis Thunbergi | 30 10 Aconitum Spark's variety | 47 10 Lobelia syphilitica |
| 14 10 Campanula glomerata superba | 31 10 Lobelia cardinalis | 48 10 Anemone japonica Whirlwind |
| 15 10 Plumbago larpenae | 32 10 Chelone Lyoni | 49 10 Lysimachia Fortunei |
| 16 10 Veronica incana | 33 10 Funkia subcordata grandiflora | 50 10 Violet double Russian |
| 17 10 Anthericum liliastrum giganteum | 34 10 Festuca glauca | |



Plants for Border No. 3 if in a Shady Position


- | | | |
|--------------------------------|--------------------------------------|--|
| Section | Section | Section |
| 1 10 Ajuga reptans rubra | 21 10 Sedum spectabile Brilliant | 41 10 Aconitum Fischeri |
| 2 10 Anemone Queen Charlotte | 22 10 Lobelia syphilitica | 42 10 Digitalis gloxiniaeflora |
| 3 10 Hemerocallis Dumortieri | 23 10 Spirea filipendula | 43 10 Dornicum excelsum |
| 4 10 Baptisia australis | 24 10 Hemerocallis Gold Dust | 44 10 Cimicifuga racemosa |
| 5 10 Digitalis gloxiniaeflora | 25 10 Eupatorium maculatum | 45 10 Campanula glomerata |
| 6 10 Dielytra Eximia | 26 10 Pæonies assorted | 46 10 Hemerocallis Thunbergi |
| 7 10 Eupatorium ageratoides | 27 10 Pulmonaria angustifolia azurea | 47 10 Myosotis palustris semperflorens |
| 8 10 Thalictrum adiantifolium | 28 10 Alchemilla major | 48 10 Chelone glabra alba |
| 9 10 Pardonanthus sinensis | 29 10 Tradescantia cœrulea | 49 10 Lythrum roseum superbum |
| 10 10 Trollius europæus | 30 10 Lily of the Valley | 50 10 Calimeris incisa |
| 11 10 Aconitum Spark's variety | 31 10 Funkia subcordata grandiflora | 51 10 Aquilegia flabellata nana alba |
| 12 10 Epimedium niveum | 32 10 Pæonies assorted | 52 10 Spirea ulmaria fl. pl. |
| 13 10 Spirea aruncus | 33 10 Primula veris superba | 53 10 Eupatorium coelestinum |
| 14 10 Aquilegia chrysantha | 34 10 Artemisia lactiflora | 54 10 Funkia lanceolata |
| 15 10 Chrysanthemum arcticum | 35 10 Lobelia cardinalis | 55 10 Valeriana officinalis |
| 16 10 Chelone Lyoni | 36 10 Gentiana Andrewsii | 56 10 Lysimachia clethroides |
| 17 10 Boltonia asteroides | 37 10 Thalictrum glaucum | 57 10 Pyrethrum uliginosum stellatum |
| 18 10 Anemone pennsylvanica | 38 10 Marshallia trinervis | 58 10 Anemone Whirlwind |
| 19 10 Funkia cœrulea | 39 10 Spirea palmata | 59 10 Saxifraga cordifolia |
| 20 10 Anemone japonica alba | 40 10 Lysimachia Fortunei | 60 10 Euphorbia polychroma |

18 10 Festuca glauca
19 10 Achillea eupatorium
20 10 Salvia Pitcheri

38 10 Dietamnus fraxinella
39 10 Salvia azurea grandiflora
40 10 Lysimachia Fortunci

58 10 Rudbeckia Newmani
59 10 Satureria montana
60 10 Achillea The Pearl

Border No. 1




Plants for Border No. 1 if in a Sunny Position

- Section 1 10 Achillea Boule de Neige
2 10 Sedum spectabile Brilliant
3 10 Phlox W. C. Egan
4 10 Heliopsis zinniflora
5 10 Helianthus scaberrimus
6 10 Dictamnus fraxinella alba
7 10 Iris germanica Mme. Chereau
8 10 Delphinium Belladonna
9 10 Funkia subcordata grandiflora
10 10 Physostegia Virginica
11 10 Veronica longifolia subsessilis
11 10 Salvia azurea grandiflora
12 10 Aquilegia long-spurred hybrids
13 10 Phlox Mrs. Jenkins
14 10 Chelone Lyoni
15 10 Pyrethrum uliginosum
16 10 Tritoma Pfitzeri
17 10 Helenium Riverton Gem
18 10 Rudbeckia Newmani
19 10 Boltonia latisquama
20 10 Iris interregna Helge

Plants for Border No. 1 if in a Shady Position

- Section 1 10 Anemone Queen Charlotte
2 10 Lily of the Valley
3 10 Lobelia cardinalis
4 10 Eupatorium coelestinum
5 10 Spirea filipendula fl. pl.
6 10 Cimicifuga racemosa
7 10 Aquilegia chrysantha
8 10 Funkia subcordata grandiflora
9 10 Digitalis gloxiniaeflora
10 10 Polemonium reptans
11 10 Salvia azurea grandiflora
12 10 Lysimachia clethroides
13 10 Hemerocallis flava
14 10 Chelone Lyoni
15 10 Valeriana officinalis
16 10 Dielytra formosa
17 10 Aconitum Spark's variety
18 10 Trollius europaeus
19 10 Eupatorium ageratoides
20 10 Campanula glomerata superba
21 10 Thalictrum aquilegifolium
22 10 Pulmonaria angustifolia azurea
23 10 Spirea palmata elegans
24 10 Sedum spectabile Brilliant
25 10 Hemerocallis Thunbergi
26 10 Funkia lanceolata
27 10 Spirea ulmaria fl. pl.
28 10 Anemone japonica alba
29 10 Lysimachia Fortunei
30 10 Violet double Russian

Border No. 2




Plants for Border No. 2 if in a Sunny Position

- Section 1 10 Hardy Pink Her Majesty
2 10 Iris germanica Loreley
3 10 Helenium pumilum magnificum
4 10 Plumbago larpende
5 10 Echinops ritro
6 10 Funkia lanceolata
7 10 Artemisia lactiflora
8 10 Hemerocallis Dumortieri
9 10 Campanula carpatia
10 10 Aster amellus
11 10 Physostegia virginica
12 10 Tritoma Pfitzeri
13 10 Gypsophila paniculata
14 10 Platycodon grandiflora
15 10 Arabis alpina
16 10 Veronica incana
17 10 Dictamnus fraxinella
18 10 Aquilegia chrysantha
19 10 Phlox Mrs. Jenkins
20 10 Anemone Dropmore variety
21 10 Heliopsis zinniflora
22 10 Helenium autumnale superbum
23 10 Lobelia cardinalis
24 10 Boltonia asteroides
25 10 Delphinium Gold Medal
26 10 Pyrethrum uliginosum
27 10 Stokesia cyanea blue
28 10 Veronica spicata rosea
29 10 Alyssum saxatile compactum
30 10 Salvia azurea grandiflora
31 10 Chelone Lyoni
32 10 Digitalis gloxiniaeflora
33 10 Iris germanica Lohengrin
34 10 Rhexia virginica

Plants for Border No. 2 if in a Shady Position

- Section 1 10 Aquilegia flabellata nana alba
2 10 Anemone japonica alba
3 10 Pulmonaria angustifolia azurea
4 10 Cerastium tomentosum
5 10 Baptisia australis
6 10 Funkia lanceolata
7 10 Digitalis gloxiniaeflora
8 10 Hemerocallis Dumortieri
9 10 Myosotis palustris semperflorens
10 10 Euphorbia corollata
11 10 Thalictrum aquilegifolium
12 10 Spirea chinensis
13 10 Hemerocallis Thunbergi
14 10 Campanula glomerata superba
15 10 Plumbago larpende
16 10 Veronica incana
17 10 Anthericum liliastrum giganteum
18 10 Anemone pennsylvanica
19 10 Chelone glabra alba
20 10 Funkia cerulea
21 10 Spirea palmata
22 10 Artemisia lactiflora
23 10 Echinops ritro
24 10 Spirea aruncus
25 10 Anemone Queen Charlotte
26 10 Hemerocallis flava
27 10 Hypericum moserianum
28 10 Polemonium reptans
29 10 Tunicia saxifraga
30 10 Aconitum Spark's variety
31 10 Lobelia cardinalis
32 10 Chelone Lyoni
33 10 Funkia subcordata grandiflora
34 10 Festuca glauca
35 10 Primula veris superba
36 10 Platycodon grandiflorum
37 10 Thermopsis caroliniana
38 10 Pardonanthus sinensis
39 10 Satureia montana
40 10 Trollius europaeus
41 10 Tradescantia virginica
42 10 Saxifraga cordifolia
43 10 Hemerocallis Florham
44 10 Tricyrtis hirta
45 10 Veronica rupestris alba
46 10 Spirea filipendula fl. pl.
47 10 Lobelia syphilitica
48 10 Anemone japonica Whirlwind
49 10 Lysimachia Fortunei
50 10 Violet double Russian

Border No. 3



Plants for Border No. 3 if in a Sunny Position

- Section 1 10 Sedum spectabile Brilliant
2 10 Gypsophila paniculata
3 10 Dictamnus fraxinella alba
4 10 Physostegia Virginica
5 10 Digitalis gloxiniaeflora
6 10 Stokesia cyanea
7 10 Aster tataricus
8 10 Phlox Rheinlander
9 10 Delphinium formosum
10 10 Calimeris incisa
11 10 Echinops ritro
12 10 Veronica incana
13 10 Anemone Dropmore variety
14 10 Aquilegia chrysantha
15 10 Plumbago larpende
16 10 Chelone Lyoni
17 10 Helenium Riverton Beauty
18 10 Festuca glauca
19 10 Achillea eupatorium
20 10 Salvia Fitcheri
21 10 Iris interregna Helge
22 10 Platycodon grandiflorum
23 10 Phlox Riverton Jewel
24 10 Hemerocallis Gold Dust
25 10 Aster St. Egwin
26 10 Paonies assorted
27 10 Veronica longifolia subsessilis
28 10 Enothera Pilgrini
29 10 Iris germanica Lohengrin
30 10 Funkia lanceolata
31 10 Funkia subcordata grandiflora
32 10 Rudbeckia maxima
33 10 Lychnis viscaria splendens
34 10 Aster Climax
35 10 Lobelia cardinalis
36 10 Phlox Gefion
37 10 Iris germanica Mme. Chereau
38 10 Dictamnus fraxinella
39 10 Salvia azurea grandiflora
40 10 Lysimachia Fortunei

Plants for Border No. 3 if in a Shady Position

- Section 1 10 Ajuga reptans rubra
2 10 Anemone Queen Charlotte
3 10 Hemerocallis Dumortieri
4 10 Baptisia australis
5 10 Digitalis gloxiniaeflora
6 10 Dielytra Eximia
7 10 Eupatorium ageratoides
8 10 Thalictrum adiantifolium
9 10 Pardonanthus sinensis
10 10 Trollius europaeus
11 10 Aconitum Spark's variety
12 10 Epimedium niveum
13 10 Spirea aruncus
14 10 Aquilegia chrysantha
15 10 Lobelia arcticum
16 10 Chelone Lyoni
17 10 Boltonia asteroides
18 10 Anemone pennsylvanica
19 10 Spirea palmata
20 10 Anemone japonica alba
21 10 Sedum spectabile Brilliant
22 10 Lobelia syphilitica
23 10 Spirea filipendula
24 10 Hemerocallis Gold Dust
25 10 Eupatorium maculatum
26 10 Paonies assorted
27 10 Pulmonaria angustifolia azurea
28 10 Thalictrum majus
29 10 Tradescantia cerulea
30 10 Lily of the Valley
31 10 Funkia subcordata grandiflora
32 10 Paonies assorted
33 10 Primula veris superba
34 10 Artemisia lactiflora
35 10 Lobelia cardinalis
36 10 Gentiana Andrewsii
37 10 Thalictrum glaucum
38 10 Marshallia trinervis
39 10 Spirea palmata
40 10 Lysimachia Fortunei
41 10 Aconitum Fischeri
42 10 Digitalis gloxiniaeflora
43 10 Doronicum excelsum
44 10 Cimicifuga racemosa
45 10 Campanula glomerata
46 10 Hemerocallis Thunbergi
47 10 Myosotis palustris semperflorens
48 10 Chelone glabra alba
49 10 Lythrum roseum superbum
50 10 Calimeris incisa
51 10 Aquilegia flabellata nana alba
52 10 Spirea ulmaria fl. pl.
53 10 Eupatorium coelestinum
54 10 Funkia lanceolata
55 10 Valeriana officinalis
56 10 Lysimachia clethroides
57 10 Pyrethrum uliginosum stellatum
58 10 Anemone Whirlwind
59 10 Saxifraga cordifolia
60 10 Euphorbia polychroma



Lupinus Polyphyllus.



Lychnis Chalcedonica.



Monarda Didyma.

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Doz.
Lavandula (Lavender)						
Vera	blue	18	July	sunny	\$0.15	\$1.50
Liatris (Blazing Star, or Gay Feather)						
Pycnostachya	rosy-purple	60	July-Aug	sunny	.15	1.50
Scariosa	purple	36-48	July-Aug	sunny	.15	1.50
Lilium (Lily)						
Auratum	white and gold	24-48	July-Aug	partial shade	.20	2.00
Speciosum album	white	24-48	Aug-Sept	sunny	.20	2.00
" roseum, or rubrum	white-spotted crimson	24-48	Aug-Sept	sunny	.15	1.50
" magnificum	deep red	24-48	Aug-Sept	sunny	.15	1.50
Superbum	orange-spotted black	36-72	August	sunny	.12	1.25
Tigrinum splendens	orange	36-48	July-Aug	sunny	.10	1.00
Lindelofia						
Longifolia	blue	24	May	sunny	.25	2.50
Linum (Flax)						
Perenne	blue	18	June-Sept	sunny	.15	1.50
Lithospermum (Gromwell)						
Prostratum	blue	trailing	April-Sept	sunny	.25	2.50
" Heavenly Blue	turquoise-blue	trailing	April-Sept	sunny	.50	5.00
Lobelia						
Cardinalis	cardinal-red	24-30	Aug-Sept	sunny	.15	1.50
Syphilitica hybrida	blue and white	24-36	July-Sept	sunny	.15	1.50
Lupinus (Lupine)						
Polyphyllus	blue	24-48	May-June	sunny	.25	2.50
" albus	white	24-48	May-June	sunny	.25	2.50
" Moerheimi	pink	24-36	May-June	sunny	.35	3.50
Lychnis (Campion)						
Chalcedonica	orange-scarlet	24-36	June-July	sunny	.15	1.50
" fl. pl.	vermillion-scarlet	24-36	June-July	sunny	.25	2.50
Grandiflora	apricot	8-12	June-July	sunny	.35	3.50
" alba	white	8-12	June-July	sunny	.35	3.50
Senno	crimson	8-12	June-July	sunny	.35	3.50
Haageana	orange-scarlet	12	June-July	sunny	.15	1.50
Vespertina alba plena	white	18	June-Sept	sunny	.25	2.50
Viscaria fl. pl.	red	12	June	sunny	.15	1.50
Lysimachia (Loose-strife)						
Ciliata	yellow	24	July	sun or shade	.15	1.50
Clethroides	white	24	July-Aug	sun or shade	.15	1.50
Fortunei	white	18	August	sun or shade	.15	1.50
Nummularia	yellow	trailing	May-June	sun or shade	.10	1.00
Punctata	yellow	24-36	July-Aug	sun or shade	.15	1.50
Lythrum (Rose Loose-strife)						
Alatum	crimson-purple	24	June-Sept	sun or partial shade	.25	2.50
Roseum superbum	rose	36-48	July-Sept	sun or partial shade	.15	1.50
" Perry's variety	cherry-red	36-48	July-Sept	sun or partial shade	.25	2.50
Virgatum	rosy-purple	36	July-Sept	sun or partial shade	.25	2.50
Marshallia						
Trinervis	white	15	June-Aug	shady	.25	2.50
Matricaria (Feverfew)						
Little Gem	white	18-24	July-Oct	sunny	.15	1.50
Mertensia (Blue Bells)						
Virginica	blue	12-18	May-June	partial shade	.15	1.50
Monarda (Bergamot)						
Didyma Cambridge Scarlet	crimson-scarlet	24-36	June-Aug	sunny	.15	1.50
" rosea	rose	24-36	June-Aug	sunny	.15	1.50
" salmonica	salmon-rose	24-30	June-Aug	sunny	.15	1.50
" violacea	amaranth-red	24-36	June-Aug	sunny	.15	1.50
Fistulosa alba	white	24-36	July-Aug	sunny	.15	1.50
Montbretia						
Aurantiaca	deep orange	24-30	July-Sept	sunny	.05	.30
Crocasmiflora	golden-orange	24-30	July-Sept	sunny	.05	.30
Etoile de Feu	vermillion	24-30	July-Sept	sunny	.05	.30
Germania	orange-scarlet	24-30	July-Sept	sunny	.05	.30
Rayon d'Or	yellow and brown	24-30	July-Sept	sunny	.05	.30
Rheingold	golden-yellow	24-30	July-Sept	sunny	.20	2.00
Speciosa	golden-yellow	24-30	July-Sept	sunny	.05	.30



Double Herbaceous Pæony.



Papaver Nudicaule (Iceland Poppies).

	Color.	Height Inches.	Time of Flowering.	Location.	Price.	
					Each.	Doz.
<i>Myosotis</i> (Forget-me-not)						
<i>Alpestris robusta grandiflora</i>	sky-blue	8-10	April-May	sunny	\$0.10	\$1.00
<i>Falustris semperflorens</i>	sky-blue	8-10	April-Oct	partial shade	.10	1.00
<i>Oenothera</i> (Evening Primrose)						
<i>Cæspitosa</i>	white	12	June-Aug	sunny	.15	1.50
<i>Fruticosa pallida</i>	creamy-white	18	June-Aug	sunny	.15	1.50
<i>Missouriensis</i>	yellow	12	June-Sept	sunny	.15	1.50
<i>Pilgrimi</i>	bright yellow	18	June-Sept	sunny	.15	1.50
<i>Speciosa</i>	pure white	18	Aug-Sept	sunny	.15	1.50
<i>Orobis</i> (Bitter Vetch)						
<i>Lathyroides</i>	bright blue	12	May-June	sunny	.25	2.50
<i>Venus</i>	purple	12	May-June	sunny	.25	2.50
<i>Pachysandra</i>						
<i>Terminalis</i>	white	6-8	May-June	sun or shade	.15	1.50
<i>Pæonia Sinensis</i> (Double Herbaceous Pæonies)						
Albert Crousse	shell-pink	30-36	June	sun or partial shade	.75	7.50
Andre Lauries	Tyrian-rose	30-36	June	sun or partial shade	.25	2.50
Asa Gray	bright lilac	30-36	May	sun or partial shade	.50	5.00
Augustin D'Hour	dark red	30-36	June	sun or partial shade	.50	5.00
Berlioz	carmine-rose	30-36	June	sun or partial shade	.25	2.50
Canary	white	30-36	May	sun or partial shade	.25	2.50
Charlemagne	lilac-white	36-42	June	sun or partial shade	.25	2.50
Couronne d'Or	white	36-42	June	sun or partial shade	.50	5.00
Delachei	crimson-purple	30-36	June	sun or partial shade	.25	2.50
Dr. Caillot	Tyrian-rose	30-36	June	sun or partial shade	.50	5.00
Duchesse de Nemours	sulphur-white	24-30	May	sun or partial shade	.25	2.50
Duke of Wellington	sulphur-white	36-42	May	sun or partial shade	.25	2.50
Edouard Andre	carmine-violet	24-30	June	sun or partial shade	.25	2.50
Eduis Superba	mauve-rose	36-42	May	sun or partial shade	.35	3.50
Felix Crousse	brilliant red	36-42	June	sun or partial shade	.50	5.00
Festiva Maxima	fine white	48	May	sun or partial shade	.05	5.00
Grandiflora rosea	solferino	30-36	June	sun or partial shade	.25	2.50
La Tulipe	flesh-pink	30-36	June	sun or partial shade	.50	5.00
Lady Bramwell	silvery-rose	30-36	June	sun or partial shade	.25	2.50
L'Eclante	brilliant red	24-30	June	sun or partial shade	.25	2.50
L'Indispensable	delicate pink	36-42	June	sun or partial shade	.50	5.00
Louis van Houtte	crimson-maroon	30-36	May	sun or partial shade	.25	2.50
Marie Jacquin	white	24-30	May	sun or partial shade	.25	2.50
Marie Lemoine	ivory-white	36-42	June	sun or partial shade	.50	5.00
Meissonier	crimson	36-42	June	sun or partial shade	.25	2.50
Mlle. Leonie Calot	salmon-flesh	36-42	May	sun or partial shade	.50	5.00
Mme. Boulanger	lilac-white	30-36	June	sun or partial shade	.75	7.50
Mme. Calot	hydrangea-pink	36-42	May	sun or partial shade	.50	5.00
Mme. de Verneville	fine white	30-36	June	sun or partial shade	.50	5.00
Mons. Jules Eli	lilac-rose	24-30	May	sun or partial shade	1.00	10.00
Mons. Krelage	currant-red	30-36	June	sun or partial shade	.25	2.50
Ne Plus Ultra	mauve	30-36	May	sun or partial shade	.25	2.50
President Taft	pink	30-36	June	sun or partial shade	1.00	10.00
Princess Galitzin	lilac-rose	24-30	May	sun or partial shade	.25	2.50
Queen Victoria	white	24-30	May	sun or partial shade	.25	2.50
Rosea Elegans	silvery-rose	36-42	May	sun or partial shade	.25	2.50
Victoire Modeste	violet-rose	36-42	May	sun or partial shade	.25	2.50
Double Mixed	all colors	30-42	May-June	sun or partial shade	.15	1.50



Phlox Decussata.



Papaver (Oriental Poppy).

Pæonia Officinalis (Early Flowering)

	Color.
<i>Officinalis</i> (<i>Mutabilis</i>) <i>alba</i>	blush-white
" " <i>rosea</i>	rose-pink
" <i>rubra</i>	deep crimson
<i>Tenuifolia</i> fl. pl.	rich crimson

— *Papaver* (Poppy)

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Doz.
<i>Nudicaule</i>	all colors	9-15	April-Sept	sunny	.15	1.50
<i>Orientalis</i> <i>Goliath</i>	fiery-scarlet	36-42	May-June	sunny	.25	2.50
" <i>Mahony</i>	crimson-maroon	36-42	May-June	sunny	.25	2.50
" <i>Mrs. Perry</i>	salmon-rose	36-42	May-June	sunny	.25	2.50
" <i>Oriflamme</i>	orange-scarlet	36-42	May-June	sunny	.25	2.50
" <i>Perry's Pigmy</i>	salmon-rose	36-42	May-June	sunny	.50	5.00
" <i>Lady Frederick Moore</i>	salmon-pink	36-42	May-June	sunny	.50	5.00
" <i>Perry's White</i>	satiny-white	36-42	May-June	sunny	.50	5.00
" <i>mixed varieties</i>	various colors	36-42	May-June	sunny	.15	1.50

Pardanthus (Blackberry Lily)

<i>Sinensis</i>	orange	30	July-Aug	sunny	.15	1.50
-----------------------	--------	----	----------	-------	-----	------

Pentstemon (Beard Tongue)

<i>Barbatus</i> <i>Torreyi</i>	scarlet	36-48	June-Aug	sunny	.15	1.50
<i>Digitalis</i>	white	24-36	June-July	sunny	.15	1.50
<i>Glaber</i> <i>Hybrids</i>	blue	12-24	June-July	sunny	.15	1.50
<i>Gloxinioides</i> <i>Sensation</i>	various colors	24	July-Oct	sunny	.15	1.50
<i>Pubescens</i>	rosy-purple	18	July-Aug	sunny	.15	1.50

Phlox Suffruticosa (Early-flowering Hardy Phloxes)

<i>Clouded Gem</i>	white-suffused rose	36	June-Oct	sunny	.20	2.00
<i>Hercules</i>	bright rosy-lilac	30	June-Oct	sunny	.20	2.00
<i>Miss Lingard</i>	fine white	36	June-Oct	sunny	.20	2.00
<i>Mrs. Dalrymple</i>	white, suffused rose	36	June-Oct	sunny	.20	2.00

Phlox, Various Hardy Species

<i>Amoena</i>	bright pink	4	April-May	sunny	.10	1.00
<i>Arendsii</i> <i>Amanda</i>	delicate lilac	12	May-Oct	sunny	.25	2.50
" <i>Charlotte</i>	lilac shaded pink	18-24	May-Oct	sunny	.25	2.50
" <i>Græte</i>	white	18-20	May-Oct	sunny	.25	2.50
" <i>Helene</i>	lavender-blue	15-18	May-Oct	sunny	.25	2.50
" <i>Kathe</i>	purplish-rose	18-20	May-Oct	sunny	.25	2.50
" <i>Louise</i>	lilac, carmine eye	24	May-Oct	sunny	.25	2.50
<i>Carolina Ovata</i>	reddish-pink	12	May-June	sunny	.15	1.50
<i>Divaricata</i> <i>Canadensis</i>	lavender	10-12	April-May	sunny	.15	1.50
" <i>Violet Queen</i>	deep violet	10-12	April-May	sunny	.25	2.50
" <i>alba grandiflora</i>	white	10-12	April-May	sunny	.25	2.50
" <i>Laphami Perry's variety</i>	deep lavender	10-12	April-May	sunny	.25	2.50
<i>Subulata</i> (<i>Moss or Mountain Pink</i>) <i>alba</i>	white	4-6	April-May	sunny	.10	1.00
" <i>atropurpurea</i>	purplish-rose	4-6	April-May	sunny	.10	1.00
" <i>Illicina</i>	light lilac	4-6	April-May	sunny	.10	1.00
" <i>Nelsoni</i>	white	3-4	April-May	sunny	.10	1.00
" <i>rosea</i>	rose	4-6	April-May	sunny	.10	1.00

— *Phlox Decussata* (Hardy Phlox)

<i>Albion</i>	white, red eye	18-24	July-Oct	sunny	.15	1.50
<i>Antonin Mercie</i>	suffused lilac & white	24-30	July-Oct	sunny	.15	1.50
<i>Astrild</i>	cochineal-carmine	24-30	July-Oct	sunny	.20	2.00
<i>Bacchante</i>	Tyrian-rose	30-36	July-Oct	sunny	.15	1.50
<i>Baron van Dedem</i>	cochineal-red	18-24	July-Oct	sunny	.15	1.50
<i>B. Comte</i>	rich French purple	30-36	July-Oct	sunny	.20	2.00
<i>Bridesmaid</i>	white, crimson eye	30-36	July-Oct	sunny	.15	1.50
<i>Champs Elysee</i>	bright rosy magenta	18-24	July-Oct	sunny	.15	1.50
<i>Crepuscle</i>	white, purple eye	30-36	July-Oct	sunny	.15	1.50



Physostegia.



Platycodon Grandiflorum.



Polemonium.

	Color.	Height Inches.	Time of Flowering.	Location.	Price.	
					Each.	Doz.
Phlox Decussata—Continued						
Danton	scarlet, red eye	24-30	July-Oct	sunny	\$0.15	\$1.50
Diadem	pure white	12-15	July-Oct	sunny	.15	1.50
Eclairer	rich rosy-magenta	24-30	July-Oct	sunny	.15	1.50
Elizabeth Campbell	salmon-pink	18-24	July-Oct	sunny	.20	2.00
Eugene Dauzenvillier	lilac-white	30-36	July-Oct	sunny	.15	1.50
Europa	white, crimson eye	30-36	July-Oct	sunny	.20	2.00
Frau Anton Buchner	white	18-24	July-Oct	sunny	.15	1.50
Frau Rosalie Wildt	mauve-rose	30-36	July-Oct	sunny	.15	1.50
Geflon	peach-blossom pink	18-24	July-Oct	sunny	.20	2.00
General van Heutsz	salmon-red	24-30	July-Oct	sunny	.15	1.50
Grideur	shaded mauve-rose	36-42	July-Oct	sunny	.20	2.00
Henry Marcel	pure red	18-24	July-Oct	sunny	.15	1.50
Henry Murger	white, crimson centre	36-42	July-Oct	sunny	.15	1.50
Henry Royer	Tyrian-rose	18-24	July-Oct	sunny	.15	1.50
H. O. Wijers	white, crimson eye	24-30	July-Oct	sunny	.15	1.50
Ingeborg	vermillion-red	18-24	July-Oct	sunny	.50	5.00
Jeanne d'Arc	pure white	36-42	July-Oct	sunny	.15	1.50
Jules Cambon	rosy-magenta, white eye	30-36	July-Oct	sunny	.15	1.50
La Vague	mauve, red eye	18-24	July-Oct	sunny	.15	1.50
L'Evenement	orange-scarlet	18-24	July-Oct	sunny	.15	1.50
Louise Abbema	pure white	15-18	July-Oct	sunny	.15	1.50
Manzelbrunnen	pink, white eye	24-30	July-Oct	sunny	.15	1.50
Mme. Paul Dutrie	delicate lilac rose	30-36	July-Oct	sunny	.15	1.50
Mrs. Jenkins	fine, pure white	30-36	July-Oct	sunny	.20	2.00
Obergartner Wittig	bright magenta	24-30	July-Oct	sunny	.15	1.50
Pantheon	carmine-rose	30-36	July-Oct	sunny	.15	1.50
Pierre Bayle	crimson-carmine	18-24	July-Oct	sunny	.15	1.50
Professor Virchow	bright carmine	24-30	July-Oct	sunny	.15	1.50
Rheinlander	salmon pink	24-30	July-Oct	sunny	.20	2.00
Riverton Jewel	mauve-rose	30-36	July-Oct	sunny	.20	2.00
Rosenberg	reddish-violet	18-24	July-Oct	sunny	.15	1.50
R. P. Struthers	rosy-carmine	36-42	July-Oct	sunny	.15	1.50
Rynstrom	bright carmine-rose	30-36	July-Oct	sunny	.20	2.00
Siebold	pure scarlet	30-36	July-Oct	sunny	.15	1.50
Sunshine	aniline-red	18-24	July-Oct	sunny	.15	1.50
Thor	salmon overlaid scarlet	24-30	July-Oct	sunny	.20	2.00
Tragedie	deep carmine	24-30	July-Oct	sunny	.20	2.00
Von Hochberg	crimson-purple	30-36	July-Oct	sunny	.15	1.50
Von Lassburg	fine white	24-30	July-Oct	sunny	.15	1.50
Wanadis	mottled white & violet	30-36	July-Oct	sunny	.20	2.00
W. C. Egan	delicate soft pink	24-30	July-Oct	sunny	.20	2.00
Widar	reddish-violet, white centre	24-30	July-Oct	sunny	.15	1.50
Physalis (Chinese Lantern Plant)						
Francheti	orange-red fruit	18-24	July-Oct	sunny	.15	1.50
Physostegia (False Dragon's Head)						
Virginica	soft pink	60-72	July-Sept	sunny	.15	1.50
" alba	white	48-60	July-Sept	sunny	.15	1.50
" speciosa	delicate pink	60-72	July-Sept	sunny	.15	1.50
Platycodon (Balloon Flower or Japanese Bell-flower)						
Grandiflorum	deep blue	24-30	July-Sept	sunny	.15	1.50
" album	white	24-30	July-Sept	sunny	.15	1.50
Plumbago (Leadwort)						
Larpentæ	deep blue	6-8	Aug-Sept	sunny	.15	1.50
Podophyllum (May Apple or Mandrake)						
Emodi Majus	pink	36	May	partial shade	.75	7.50
Peltatum	white	24	May	partial shade	.15	1.50
Polemonium (Jacob's Ladder)						
Reptans	blue	6-8	May-June	partial shade	.15	1.50
Richardsoni	sky-blue	12	June-July	partial shade	.15	1.50
" album	white	12	June-July	partial shade	.15	1.50

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Doz.
<i>Polygonatum</i> (Solomon's Seal)						
<i>Giganteum</i>	creamy-white	36	May-June	shade	\$0.15	\$1.50
<i>Polygonum</i> (Knot-weed)						
<i>Brunonis</i>	bright rose	12	July-Sept	sunny	.15	1.50
<i>Compactum</i>	white	15	Aug-Sept	sunny	.15	1.50
<i>Cuspidatum</i>	white	36-60	Aug-Sept	sunny	.15	1.50
<i>Sericum</i>	white	24	May-June	sunny	1.00	10.00
<i>Potentilla</i> (Cinquefoil)						
<i>Atrosanguinea</i>	crimson	18-24	July-Aug	sunny	.25	2.50
<i>Formosa</i>	rosy-red	18-24	July-Aug	sunny	.25	2.50
<i>Miss Willmott</i>	cerise-pink	12-15	June-Aug	sunny	.25	2.50
<i>Pyrenaica</i>	golden-yellow	6-12	May-Aug	sunny	.25	2.50
<i>Vulcan</i>	rich crimson	18-24	July-Aug	sunny	.25	2.50
<i>William Rollison</i>	vermilion	18-24	July-Aug	sunny	.25	2.50
<i>Primula</i> (Primrose)						
<i>Acaulis alba-plena</i>	white	6-8	April	partial shade	.25	2.50
" <i>cerulea</i>	purplish-blue	6-8	April	partial shade	.25	2.50
" <i>Croussei plena</i>	purplish-red	6-8	April	partial shade	.25	2.50
<i>Veris</i>	yellow	6	April	partial shade	.10	1.00
" <i>superba</i>	yellow	10-12	April	partial shade	.20	2.00
<i>Vulgaris</i>	yellow	6-8	April	partial shade	.15	1.50
<i>Prunella</i>						
<i>Grandiflora</i>	purple	6	July-Sept	shady	.25	2.50
<i>Pulmonaria</i> (Lungwort, Bethlehem Sage)						
<i>Angustifolia azurea</i>	gentian-blue	6-12	April-May	partial shade	.25	2.50
<i>Saccharata maculata</i>	blue	6-12	May-June	partial shade	.25	2.50
<i>Pyrethrum</i>						
<i>Hybridum single mixed</i>	all colors	18-24	June-July	sunny	.20	2.00
<i>Uliginosum stellatum</i>	white	36-60	Aug-Sept	sunny	.25	2.50
<i>Ranunculus</i> (Crow-foot, Buttercup)						
<i>Aconitifolius fl. pl.</i>	pure white	24	May-June	sunny	.15	1.50
<i>Acris fl. pl.</i>	golden-yellow	24	May-June	sunny	.15	1.50
<i>Amplexicaulis</i>	white	5-10	May	sunny	.15	1.50
<i>Gramineus</i>	bright yellow	6-8	April-May	sunny	.15	1.50
<i>Repens fl. pl.</i>	golden-yellow	6-12	May-June	sunny	.15	1.50
<i>Rhexia</i> (Meadow Beauty)						
<i>Virginica</i>	rosy-purple	9	June-Sept	sunny	.15	1.50
<i>Rodgersia</i>						
<i>Podophylla</i>	or. foliage	36-48	June	sunny	.25	2.50
<i>Tabularis</i>	or. foliage	48-60	July	sunny	.50	5.00
<i>Romneya</i> (California Tree or Matilija Poppy)						
<i>Coulteri</i>	transparent white	36-60	June-Aug	sunny	.75	7.50
<i>Rosmarinus</i> (Rosemary)						
<i>Officinalis</i>	purple	24-36	June-July	sunny	.15	1.50
<i>Rudbeckia</i> (Cone-flower)						
<i>Laciniata fl. pl. "Golden Glow"</i>	golden-yellow	60-72	July-Sept	sunny	.15	1.50
<i>Maxima</i>	bright yellow	48-60	July-Sept	sunny	.25	2.50
<i>Newmanii</i>	orange-yellow	36	July-Sept	sunny	.15	1.50
<i>Nitida "Autumn Sun"</i>	primrose-yellow	60-72	Aug-Oct	sunny	.15	1.50
<i>Purpurea</i>	reddish-purple	36	July-Oct	sunny	.15	1.50
<i>Sub-tomentosa</i>	lemon-yellow	30	Aug-Oct	sunny	.15	1.50
<i>Salvia</i> (Meadow Sage)						
<i>Azurea</i>	sky-blue	36-48	Aug-Sept	sunny	.25	2.50
<i>Greggii</i>	carmine	24	June-Oct	sunny	.25	2.50
<i>Pitcheri</i>	bright blue	36-48	Aug-Sept	sunny	.25	2.50
<i>Uliginosa</i>	cornflower-blue	48-72	June-Oct	sunny	.25	2.50
<i>Virgata Nemorosa</i>	dark blue	18	July-Aug	sunny	.25	2.50
<i>Santolina</i> (Lavender Cotton)						
<i>Chamaecyparissus incana</i>	or. foliage	12	sunny	.10	1.00
<i>Saponaria</i> (Soapwort)						
<i>Caucasica flore pleno</i>	white, tinted rose	15	June-Sept	sunny	.15	1.50
<i>Ocymoides</i>	bright rose	6-9	May-Aug	sunny	.15	1.50
<i>Satureia</i> (Winter Savory)						
<i>Montana</i>	white	12	Aug-Sept	sunny	.25	2.50
<i>Saxifraga</i>						
<i>Cordifolia</i>	light pink	10-12	April-May	partial shade	.25	2.50
" <i>orbiculare</i>	deep rose	10-12	April-May	partial shade	.25	2.50
" <i>speciosa</i>	rosy-crimson	10-12	April-May	partial shade	.25	2.50
" <i>Squarrosa</i>	rosy-pink	10-12	April-May	partial shade	.25	2.50
" <i>Van Houttei</i>	light pink	10-12	April-May	partial shade	.25	2.50
<i>Peltata</i>	light pink	30-36	June	partial shade	.25	2.50
<i>Pyramidalis</i>	white	24	May-June	partial shade	.35	3.50
<i>Sarmentosa</i>	variegated foliage	6-8	May-June	shady	.15	1.50
<i>Umbrosa</i>	white	12	May-June	shady	.25	2.50
<i>Scabiosa</i>						
<i>Caucasica</i> (Blue Bonnet)	blue	15-18	June-Sept	sunny	.25	2.50
" <i>alba</i>	white	15-18	June-Sept	sunny	.25	2.50
<i>Japonica</i>	lavender-blue	18-24	July-Sept	sunny	.25	2.50
<i>Sedum</i> (Stone-crop)						
<i>Acre</i>	yellow	trailing	May-June	sun or partial shade	.15	1.50
<i>Album</i>	white	trailing	July-Aug	sun or partial shade	.15	1.50
<i>Japonicum macrophyllum</i>	waxy-white	15	Aug-Sept	sun or partial shade	.15	1.50
<i>Kamtschaticum</i>	yellow	8	June	sun or partial shade	.15	1.50
<i>Lydium glaucum</i>	glaucous-foliage	trailing	sun or partial shade	.15	1.50
<i>Maximum atropurpureum</i>	bronzey-rose	15	Sept-Oct	sunny	.15	1.50
<i>Middendorffianum</i>	sulphur-yellow	trailing	June-July	sunny	.15	1.50
<i>Sexangulare</i>	yellow	trailing	June-July	sunny	.15	1.50
<i>Sieboldi</i>	bright pink	6-9	Aug-Sept	sunny	.15	1.50
"	rose	18	Aug-Sept	sunny	.15	1.50
" <i>Brilliant</i>	amaranth-red	18	Aug-Sept	sunny	.25	2.50
"	pink	6	Aug-Sept	sunny	.15	1.50
<i>Spurium</i>	crimson	6	Aug-Sept	sunny	.15	1.50
" <i>coccineum</i>	red-tinted foliage	trailing	sunny	.15	1.50
<i>Stahli</i>	purplish-pink	trailing	July-Aug	sunny	.15	1.50
<i>Stolonifera</i>						



Sedum Spectabile "Brilliant."



Stokesia (Cornflower Aster).

	Color.	Height Inches.	Time of Flowering.	Location.	Price.	
					Each.	Doz.
Sempervivum (House Leek)						
<i>Arachnoideum Gnaphalium</i>	foliage effect	compact	tufts	sunny	\$0.10	\$1.00
<i>Brownii</i>	foliage effect	compact	tufts	sunny	.10	1.00
<i>Glaucum</i>	foliage effect	compact	tufts	sunny	.10	1.00
<i>Pyrenaicum</i>	foliage effect	compact	tufts	sunny	.10	1.00
<i>Robustum</i>	foliage effect	compact	tufts	sunny	.10	1.00
<i>Triste</i>	foliage effect	compact	tufts	sunny	.10	1.00
Senecio (Groundsel)						
<i>Clivorum</i>	yellow	36-60	Aug-Sept	sun or partial shade	.25	2.50
<i>Pulcher</i>	rosy-purple	18-24	July-Oct	sunny	.25	2.50
<i>Wilsonianus</i>	bright yellow	36-60	July-Aug	sun or partial shade	.25	2.50
Shortia						
<i>Galacifolia</i>	white	3-6	May	shady	.25	2.50
Silene (Catchfly)						
<i>Alpestris</i>	white	4	July-Aug	sunny	.15	1.50
<i>Schafta</i>	pink	4-6	July-Oct	sunny	.15	1.50
Silphium (Cup Plant)						
<i>Perfoliatum</i>	yellow	72-96	Aug-Sept	sunny	.25	2.50
Solidago (Golden Rod)						
<i>Altissima</i>	yellow	120-144	October	sunny	.15	1.50
<i>Canadensis</i>	yellow	48-60	July-Sept	sunny	.15	1.50
<i>Golden Wings</i>	golden-yellow	48-60	July-Sept	sunny	.15	1.50
<i>Shortia</i>	golden-yellow	36	July-Aug	sunny	.15	1.50
<i>Virgaurea compacta</i>	deep yellow	15	Aug-Sept	sunny	.15	1.50
Spigelia (Carolina or Indian Pink)						
<i>Marilandica</i>	brilliant red	12-15	June-Oct	shady	.35	3.50
Spiraea (Goat's Beard, Meadow Sweet)						
<i>Aruncus</i>	white	36-60	June-July	partial shade	.15	1.50
<i>Chinensis</i>	silvery-pink	24	June-July	partial shade	.25	2.50
<i>Filipendula fl. pl.</i>	white	15	June-July	partial shade	.15	1.50
<i>Gigantea or Kamtschatica</i>	white	60-72	June-July	partial shade	.25	2.50
<i>Palmata</i>	crimson-purple	36	June-July	partial shade	.15	1.50
" <i>elegans</i>	silvery-pink	36	June-July	partial shade	.15	1.50
<i>Venusta</i>	reddish	48-60	June	partial shade	.15	1.50
" <i>magnifica</i>	intense rosy-red	48-60	June-July	partial shade	.50	6.00
<i>Ulmaria fl. pl.</i>	white	36	June-July	partial shade	.15	1.50
Stachys (Woundwort)						
<i>Betonica grandiflora</i>	soft rose	15	June-July	sunny	.15	1.50
<i>Lanata</i>	silvery-foliage	12-15	June-July	sunny	.15	1.50
Statice (Great Sea-lavender)						
<i>Gmelini</i>	violet-blue	12	June-Sept	sunny	.15	1.50
<i>Latifolia</i>	purplish-blue	18	June-Sept	sunny	.15	1.50
<i>Tatarica</i>	reddish-purple	15	June-Sept	sunny	.15	1.50
Stenanthium (Mountain Feather Fleece)						
<i>Robustum</i>	white	48-60	Aug-Sept	half shady	.50	5.00
Stokesia (Cornflower Aster)						
<i>Cyanea</i>	lavender-blue	18-24	June-Sept	sunny	.15	1.50
" <i>alba</i>	pure white	18-24	June-Sept	sunny	.15	1.50
Symphytum (Comfrey)						
<i>Asperrium aureo variegatum</i>	foliage plant	15-18	partial shade	.25	2.50
Teucrium (American Germander)						
<i>Canadense</i>	purplish-rose	18-36	July-Aug	sunny	.15	1.50
Thalictrum (Meadow Rue)						
<i>Adiantifolium</i>	creamy-white	18-24	June-July	partial shade	.25	2.50
<i>Aquilegifolium atropurpureum</i>	rosy-purple	24-30	May-July	partial shade	.25	2.50
" <i>album</i>	white	24-36	May-July	partial shade	.25	2.50
<i>Dipterocarpum</i>	lilac-mauve	36-60	Aug-Sept	partial shade	.50	5.00
<i>Glaucum</i>	bronzy-yellow	24	June-July	partial shade	.25	2.50
Thermopsis						
<i>Caroliniana</i>	yellow	36	June-July	partial shade	.25	2.50

Group of *Trillium Grandiflorum* (Wood Lily or Wake Robin).

	Color.	Height Inches.	Time of Flowering.	Location.	Price.	
					Each.	Doz.
<i>Thymus</i> (Thyme)						
<i>Citriodorus</i>	lilac	3	June-July	sunny	\$0.15	\$1.50
<i>Lanuginosus</i>	lilac	trailing	June-July	sunny	.15	1.50
<i>Serpyllum</i>	white	trailing	June-July	sunny	.15	1.50
“ <i>coccineum</i>	scarlet	trailing	June-July	sunny	.15	1.50
“ <i>splendens</i>	purplish-red	trailing	June-July	sunny	.15	1.50
<i>Tiarella</i> (Foam Flower)						
<i>Purpurea major</i>	salmon-red	6-12	May-June	partial shade	.15	1.50
<i>Tradescantia</i> (Spider Wort)						
<i>Virginica</i>	blue	18-30	May-Sept	sun or partial shade	.15	1.50
“ <i>alba</i>	white	18-30	May-Sept	sun or partial shade	.15	1.50
<i>Tricyrtis</i> (Japanese Toad Lily)						
<i>Hirta</i>	white, spotted purple	18	Sept-Oct	partial shade	.25	2.50
<i>Macropoda striata</i>	variegated foliage	12	Sept-Oct	partial shade	.25	2.50
<i>Trillium</i> (Wood Lily, or Wake Robin)						
<i>Erectum</i>	purple	12	April	partial shade	.10	1.00
<i>Grandiflorum</i>	white	12-15	April	partial shade	.10	1.00
<i>Tritoma</i> (Red-hot Poker, Flame Flower, or Torch Lily)						
<i>Pfitzerii</i>	orange-scarlet	36-48	Aug-Oct	sunny	.25	2.50
<i>Saundersi</i>	coral-red	36	July-Aug	sunny	.35	3.50
<i>Sulphurea</i>	sulphur-yellow	30	Aug-Sept	sunny	.30	3.00
<i>Tricolor</i>	red, yellow and white	30	Aug-Oct	sunny	.25	2.50
<i>Uvaria grandiflora</i>	ochre-red and salmon	36-60	Sept-Oct	sunny	.15	1.50
<i>Trollius</i> (Globe Flower)						
<i>Asiaticus Flore croceo</i>	orange	18-24	May-July	partial shade	.25	2.50
<i>Caucasicus</i> “Orange Globe”	deep orange	18-24	May-July	partial shade	.25	2.50
<i>Euorpeus</i>	bright yellow	18-24	May-July	partial shade	.25	2.50
<i>Japonicus</i> “Excelsior”	dark orange	18-24	May-July	partial shade	.25	2.50
<i>Ledebouri</i>	orange	24-30	May-July	partial shade	.50	5.00
<i>Lichtball</i>	orange-yellow	18-24	May-July	partial shade	.25	2.50
<i>Pumilus Yunnanensis</i>	golden-yellow	18	May-July	partial shade	.50	5.00
<i>Tunica</i>						
<i>Saxifraga</i>	light pink	6-8	June-Aug	sunny	.25	2.50
<i>Valeriana</i> (Spurred Flower)						
<i>Coccinea</i>	rosy-red	24	June-Oct	sunny	.15	1.50
“ <i>alba</i>	white	24	June-Oct	sunny	.15	1.50
<i>Officinalis</i>	rose, tinted white	36-48	June-July	sunny	.15	1.50
<i>Veronica</i> (Speedwell)						
<i>Amethystina</i>	amethyst-blue	24	June-July	sunny	.15	1.50
<i>Incana</i>	bright blue	12	July-Aug	sunny	.15	1.50
<i>Longifolia subsessilis</i>	deep blue	18-24	July-Aug	sunny	.15	1.50
<i>Maritima</i>	light blue	24	July-Sept	sunny	.15	1.50
<i>Pectinata</i>	deep blue	trailing	May	sun or shade	.15	1.50
<i>Repens</i>	light blue	trailing	May	sunny	.15	1.50
<i>Rupestris</i>	bright blue	3-4	May-June	sunny	.15	1.50
“ <i>alba</i>	white	3-4	May-June	sunny	.15	1.50
<i>Spicata</i>	blue	18	June-July	sunny	.15	1.50
“ <i>alba</i>	white	18	June-July	sunny	.15	1.50
“ <i>Erica</i>	pink	10-12	June-July	sunny	.50	5.00
“ <i>rosea</i>	pink	18	June-July	sunny	.15	1.50
<i>Virginica</i>	white	36-48	July-Aug	sunny	.15	1.50
<i>Vinca</i> (Periwinkle, or Trailing Myrtle)						
<i>Minor</i>	blue	6-8	April-May	sun or shade	.10	1.00
“ <i>aurea</i>	variegated foliage	4-6	April-May	sun or shade	.25	2.50
“ <i>argentea variegata</i>	variegated foliage	4-6	April-May	sun or shade	.25	2.50
<i>Vincetoxicum</i> (Mosquito Plant)						
<i>Japonicum</i>	white	18	July	sunny	.25	2.50
<i>Viola</i> (Tufted Pansy)						
<i>Cornuta</i> <i>Admiration</i>	purple	5-8	April-Oct	sun or partial shade	.10	1.00
“ <i>lutea splendens</i>	yellow	5-8	April-Oct	sun or partial shade	.10	1.00
“ <i>Papilio</i>	blue	5-8	April-Oct	sun or partial shade	.10	1.00
“ <i>purpurea</i> , or <i>G. Wermig</i>	blue	5-8	April-Oct	sun or partial shade	.15	1.50
“ <i>White Perfection</i>	white	5-8	April-Oct	sun or partial shade	.10	1.00
<i>Violets, Hardy Varieties</i>						
<i>Double Russian</i>	deep purple	6	April-May	sun or shade	.10	1.00
<i>Pedata</i> (Bird's Foot Violet)	blue	3-4	May-June	sunny	.10	1.00
“ <i>bicolor</i>	purple and blue	3-4	May-June	sunny	.15	1.50
<i>Wahlenbergia</i>						
<i>Vinciflora</i>	gentian-blue	10-12	July-Sept	sunny	.50	5.00
<i>Wallflowers, in choice mixture</i>	all colors	12-18	May	sunny	.15	1.50
<i>Yuca</i> (Adam's Needle)						
<i>Angustifolia</i>	white	36-48	June-July	sunny	.25	2.50
<i>Filamentosa</i>	white	60-72	June-July	sunny	.25	2.50
“ <i>variegata</i>	or. foliage	48-60	June-July	sunny	1.00	10.00

DREER'S SELECT LIST OF SEEDS OF HARDY PERENNIALS

It seems appropriate in a book devoted to hardy perennials to include a list of those varieties of which we can supply seed. Many varieties of hardy plants are difficult to germinate. We confine our offer to those sorts from which the average amateur is likely to get results. The following cultural notes are contributed by Mr. Wm. Falconer, of Pittsburgh, one of the most successful growers of hardy perennials:

Hardy perennials are easily grown from seed. In many cases they are a little slower than annuals, but with intelligent care they are successfully raised, and from seed is an excellent way to get up a big stock of perennials in a short time. Many perennials, if sown in spring, bloom the first year from seed as freely as annuals. Others wait a year; that is, if sown this year they don't bloom until next year.

The seeds may be sown in spring or in summer. In spring the sowings may be made in the window, the hot bed, the cold frame, the greenhouse or in the open ground out of doors. In the window prepare pots or flower-pans or small, shallow wooden boxes or flats; fill to one-third their depth with fine broken cinders or broken pots, and over this place a thin layer of moss, chopped straw or rough siftings from the soil to keep the dirt from clogging the drainage; then fill up to within one-half or three-quarters inches of the brim with fine, free, mellow soil, with thin layer of very fine soil over it. Tamp the pot on table to firm the soil a little. Now sow the seed evenly, and shake a very little fine soil over it; press it all over with the back of the hand or a board, then water gently through a fine spray or rose; this done strew a little fine earth over all. In the case of very fine seeds covering only enough to hide the seed is plenty, but Pinks, Gaillardias and other rougher seeded sorts one-eighth inch deep of covering may be given. Keep the seed pots in a warm, sunny window; but shaded with a thin curtain from drying sunshine. A sheet of paper laid over the pot at this time prevents over-drying, but when the sunshine passes, take off the paper, else damp or mold will set in. A pane of glass laid over the pots or flats until germination appears is an excellent preservative of the moisture in the soil, but always tilt it up at one side one-eighth of an inch or more. When the seedlings come up, give them more light by keeping them close to the glass, and before they overcrowd one another or become spindly transplant them into other pots or flats, three-quarters or one inch apart from one another, according to their size and strength. As the weather gets mild, by placing the seedlings in a cool and airier place, as on the porch or a sheltered place out of doors, they become fairly inured to the open weather, and when they are large enough for final transplanting set them out in the garden.

The amateur may have more success and less bother growing hardy perennials from seeds sown in the open ground than in any other way. Prepare a bed in a nice, warm, sheltered spot in the garden, preferably not very sunny; let the surface of the bed be raised four or five inches above the general level, and the soil be a mellow, free, fine earth on the surface. Draw shallow rows across the surface of the bed, three to four inches apart, and here sow the seed, keeping the varieties of one kind or nature as much together as practicable; cover the seeds thinly, press the whole surface gently, water moderately, then dust a little fine, loose soil over all. If the weather is sunny or windy, shade with papers or a few branches, but remove these in the evening. When the seedlings come up thin them out to stiffen those that are left, and when they are two or three inches high, they are fit for transplanting into permanent quarters. All this should be done in early spring, say March, April or May, or in warmer localities a month earlier.


Again, in July or August perennials are very easily raised out of doors, and much in the same way as above. Transplant these seedlings in late August or early September to get well-rooted stocky plants before winter sets in.

ALPHABETICAL LIST OF HARDY PERENNIAL SEEDS

In ordering it is only necessary to give the numbers

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Per Pkt.
Achillea (Milfoil, or Yarrow).					
1021 Ptarmica, "The Pearl"	white	6-8	April-May	sunny	¼ oz., 25 cts. \$0.05
Aconitum (Monk's Hood, or Wolfsbane).					
1031 Napellus	dark blue	36-60	Aug-Sept	shady	¼ oz., 40 cts. .10
Adlumia (Mountain Fringe, Allegheny Vine, or Climbing Fumitory).					
1051 Cirrhusa	flesh-pink	climber	June-July	sun or partial shade	.15
Agrostemma (Rose of Heaven, Mullein Pink).					
1090 Coronaria	crimson	24-30	June-July	sunny	¼ oz., 15 cts. .05
Alyssum (Mad Wort).					
1104 Saxatile Compactum	yellow	12	May	sunny	¼ oz., 30 cts. .10
Ampelopsis (Boston, or Japanese Ivy).					
1131 Veitchi	or. foliage	climber		sun or partial shade	1 oz., 40 cts. .10
Anchusa (Alkanet or Bugloss).					
1138 Italica Dropmore Variety	blue	36-60	May-July	sunny	¼ oz., 50 cts. .15
Anemone (Windflower).					
1140 Coronaria Mixed	various	12	April-May	sunny	.05
1146 St. Brigid	various	12	April-May	sunny	.15
Anthemis (Marguerite).					
1150 Tinctoria Kelwayi	golden-yellow	24	June-Oct	sunny	¼ oz., 30 cts. .10
Antirrhinum (Snapdragon).					
1160 Majus or Tall Mixed	various	36	July-Nov	sunny	¼ oz., 20 cts. .05
1162 Large-flg. Half-Dwarf	various	18	July-Nov	sunny	.10
1163 " " " " Defiance	blush-pink	18	July-Nov	sunny	.10
1164 " " " " " Golden Queen	russet-red	18	July-Nov	sunny	.10
1165 " " " " " Erebrand	yellow	18	July-Nov	sunny	.10
1166 " " " " " Rose Queen	rich red	18	July-Nov	sunny	.10
1167 " " " " " Mont Blanc	rose	18	July-Nov	sunny	.10
1170 " " " " " Mixed	white	18	July-Nov	sunny	.10
1171 Giant Scarlet	various	18	July-Nov	sunny	¼ oz., 25 cts. .10
1172 " White	scarlet	36	July-Nov	sunny	.10
1173 " Yellow	white	36	July-Nov	sunny	.10
1174 " Garnet	yellow	36	July-Nov	sunny	.10
1175 " Pink	garnet	36	July-Nov	sunny	.10
1176 " Rose	pink	36	July-Nov	sunny	.10
1180 " Mixed	rose	36	July-Nov	sunny	.10
Aquilegia (Columbine).					
1181 Californica hybrida	various	24-36	May-June	sunny	¼ oz., 50 cts. .10
1183 Chrysantha	yellow	24-36	June	sunny	¼ oz., 30 cts. .10
1184 " alba	white	24-36	June	sunny	¼ oz., 50 cts. .10
1185 Coerulea	blue	24-36	June	sunny	¼ oz., 30 cts. .10
1186 " hybrida	various	24-36	June	sunny	¼ oz., 50 cts. .10
1187 Flabellata nana alba	white	15	June	sunny	¼ oz., 25 cts. .10
1195 Helene	blue and white	24	June	sunny	.15
1196 Truncata	scarlet and yellow	24-36	May-June	sunny	.10
1197 Nivea Grandiflora	white	24-36	June	sunny	¼ oz., 25 cts. .05
1198 Vulgaris	violet-blue	24-36	May-June	sunny	¼ oz., 25 cts. .05
1206 Veitch's Long-Spurred Hybrids	various	24-36	May-June	sunny	.15
1207 Double Mixed	various	24-36	May-June	sunny	1 oz., 50 cts. .15
1210 Single Mixed	various	24-36	May-June	sunny	1 oz., 40 cts. .05

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Per Pkt.
Arabis (Rock Cress).					
1211 <i>Alpina</i>	white	6-8	April-May	sunny	¼ oz., 25 cts. .05
Armeria (Sea Pink or Thrift).					
1221 <i>Formosa</i>	rosy-pink	9	June-Aug	sunny	.10
Aster (Michaelmas Daisies)					
1400 <i>Hardy Perennial Mixed</i>	various	24-36	Aug-Oct	sunny	¼ oz., 50 cts. .10
Auricula (Primula).					
1500 <i>Choice Mixed</i>	various	6	April	partial shade	.15
Bellis (English Double Daisy).					
1591 <i>Longfellow</i>	pink	4	April-May	sunny	.10
1593 <i>Ranunculiflora alba</i>	white	4	April-May	sunny	.15
1594 " <i>rosea</i>	rosy-pink	4	April-May	sunny	.15
1595 <i>Giant White</i>	white	4	April-May	sunny	.25
1596 " <i>Rose</i>	rose	4	April-May	sunny	.10
1597 <i>The Bride, or Improved Snowball</i>	white	4	April-May	sunny	.20
1598 <i>Double Quilled</i>	various	4	April-May	sunny	.10
1600 " <i>Mixed</i>	various	4	April-May	sunny	¼ oz., 50 cts. .10
Bocconia (Plume Poppy, or Tree Celandine).					
1611 <i>Cordata</i>	creamy-white	60-96	July-Aug	sunny	¼ oz., 25 cts. .05
Boltonia (False Chamomile).					
1615 <i>Asteroides</i>	white	48-72	July-Sept	sunny	.10
1616 <i>Latisquama</i>	pink	48-72	July-Sept	sunny	.10
Campanula (Bellflower).					
1721 <i>Carpatia</i>	blue	6	June-Oct	sunny	¼ oz., 40 cts. .10
1720 " <i>alba</i>	white	6	June-Oct	sunny	¼ oz., 40 cts. .10
1724 <i>Persicifolia Grandiflora</i>	blue	24-36	June-July	sunny	.15
1725 " <i>alba</i>	white	24-36	June-July	sunny	.15
1728 <i>Pyramidalis</i>	blue	48-60	August	sunny	¼ oz., 30 cts. .05
1729 " <i>alba</i>	white	48-60	August	sunny	¼ oz., 30 cts. .05
1736 <i>Medium Calycanthema Rose Pink</i>	rose-pink	36	May-June	sunny	.15
1735 " <i>Blue</i>	blue	36	May-June	sunny	.15
1738 " <i>White</i>	white	36	May-June	sunny	.15
1740 " <i>Finest Mixed</i>	various	36	May-June	sunny	¼ oz., 75 cts. .10
1734 " <i>Double Flowering</i>	various	36	May-June	sunny	.25
1744 " <i>Single Dark Blue</i>	dark blue	36	May-June	sunny	.10
1745 " <i>Light Blue</i>	light blue	36	May-June	sunny	.10
1746 " <i>Rose</i>	rose	36	May-June	sunny	.10
1747 " <i>White</i>	white	36	May-June	sunny	.10
1743 " <i>Mixed</i>	various	36	May-June	sunny	¼ oz., 25 cts. .05
1741 " <i>Double Mixed</i>	various	36	May-June	sunny	¼ oz., 40 cts. .10
Carnation.					
1850 <i>Hardy Border Double Mixed</i>	various	18	June-July	sunny	¼ oz., 50 cts. .10
Cerastium (Snow in Summer).					
1911 <i>Tomentosum</i>	white	6	June	sunny	.15
Chrysanthemum.					
1944 <i>Japanese Hybrids</i>	various	18-24	Oct-Nov	sunny	.25
1945 <i>Double Early-flowering</i>	various	18-24	Sept-Nov	sunny	.25
1951 <i>Hardy Pompon</i>	various	18-24	Oct-Nov	sunny	.25
1946 <i>Maximum King Edward VII</i>	white	24	June-Oct	sunny	.15
1948 <i>Shasta Daisy Alaska</i>	white	24	June-Oct	sunny	.25
1950 <i>Shasta Daisy Mixed Seedlings</i>	white	24	June-Oct	sunny	.15
Coreopsis.					
2071 <i>Lanceolata Grandiflora</i>	yellow	24-36	June-Sept	sunny	¼ oz., 25 cts. .10
Cowslip (Primula Veris).					
2110 <i>Mixed</i>	various	6	April	partial shade	.10
2112 <i>Invincible Giant</i>	various	12-15	April	partial shade	.25
Delphiniums (Hardy Larkspurs).					
2223 <i>Chinese</i>	gentian-blue	18-24	June-Sept	sunny	¼ oz., 25 cts. .05
2222 " <i>album</i>	white	18-24	June-Sept	sunny	¼ oz., 25 cts. .05
2225 <i>Elatum</i>	blue	36-60	June-Sept	sunny	¼ oz., 30 cts. .10
2231 <i>Formosum</i>	dark blue	30-48	June-Sept	sunny	¼ oz., 30 cts. .05
2232 " <i>Coelestinum</i>	sky-blue	36-48	June-Sept	sunny	¼ oz., 50 cts. .15
2216 <i>Hybridum Amos Perry</i>	blue and mauve	36-60	June-Sept	sunny	.25
2218 " <i>Belladonna</i>	turquoise-blue	36-48	June-Sept	sunny	.25
2221 " <i>Carmen</i>	gentian-blue	36-60	June-Sept	sunny	.25
2224 " <i>Duke of Connaught</i>	Oxford-blue	36-48	June-Sept	sunny	.25
2233 " <i>Julia</i>	azure blue	36-60	June-Sept	sunny	.25
2241 " <i>King of Delphiniums</i>	rich gentian-blue	60-72	June-Sept	sunny	.25
2244 " <i>Lizzie</i>	azure blue	36-60	June-Sept	sunny	.25
2246 " <i>Queen Wilhelmina</i>	lavender	36-60	June-Sept	sunny	.25
2247 " <i>Rev. E. Lascelles</i>	violet-blue	36-60	June-Sept	sunny	.25
2248 " <i>Zuster Lugten</i>	Oxford-blue	36-60	June-Sept	sunny	.25
2236 " <i>Double Mixed</i>	various	36-60	June-Sept	sunny	¼ oz., 50 cts. .15
2238 " <i>Gold Medal Hybrids Mixed</i>	various	36-60	June-Sept	sunny	¼ oz., 50 cts. .15
Dianthus (Hardy Garden Pinks).					
2340 <i>Plumarius Single</i>	various	12	May-June	sunny	¼ oz., 25 cts. .05
2337 " <i>Double</i>	various	12	May-June	sunny	¼ oz., 50 cts. .10
2338 " <i>Dwarf Double Erfurt</i>	various	10	May-June	sunny	.15
2336 " <i>Semperflorens</i>	various	12	May-June	sunny	.25
2342 <i>Latifolius Atrococcineus fl. pl.</i>	crimson-scarlet	12	June-Sept	sunny	.15
2343 " <i>Double Mixed</i>	various	12	June-Sept	sunny	.10
Dianthus Barbatus (Sweet William, London Tufts).					
4283 <i>Single Crimson</i>	crimson	18	June	sunny	.05
4284 " <i>Red on white ground</i>	red and white	18	June	sunny	.05
4285 " <i>Scarlet</i>	scarlet	18	June	sunny	.05
4286 " <i>Velvety Maroon</i>	maroon	18	June	sunny	.05
4287 " <i>Violet on white ground</i>	violet and white	18	June	sunny	.05
4288 " <i>White</i>	white	18	June	sunny	.05
1292 " <i>Mixed</i>	various	18	June	sunny	1 oz., 40 cts. .05
4281 " <i>Scarlet Beauty</i>	scarlet	18	June	sunny	.15
4282 " <i>Newport Pink</i>	salmony-pink	18	June	sunny	.15
4291 " <i>Holborn Glory</i>	various	18	June	sunny	¼ oz., 25 cts. .10
4297 <i>Double Mixed</i>	various	18	June	sunny	¼ oz., 30 cts. .10
4296 " <i>Giant Mixed</i>	various	18	June	sunny	¼ oz., 50 cts. .15
Digitalis (Foxglove).					
2356 <i>Gloxiniiflora, Purple</i>	purple	48-72	June-July	sun or partial shade	¼ oz., 30 cts. .10
2357 " <i>Rose</i>	rose	48-72	June-July	sun or partial shade	¼ oz., 30 cts. .10
2358 " <i>White</i>	white	48-72	June-July	sun or partial shade	¼ oz., 30 cts. .10
2360 " <i>Mixed</i>	various	48-72	June-July	sun or partial shade	¼ oz., 25 cts. .05



Campanula Medium (Canterbury Bells).




Chrysanthemum Shasta Daisy Alaska.



Hesperis (Sweet Rocket).

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Per Pkt.
Digitalis—Continued					
2366 Grandiflora	pale yellow	24-36	June-July	sun or partial shade	¼ oz., 25 cts. \$0.05
2367 Maculata Superba	various	48-72	June-July	sun or partial shade	¼ oz., 30 cts. .10
2370 Monstrosa	various	48-72	June-July	sun or partial shade	¼ oz., 40 cts. .10
Echinops (Globe Thistle).					
2404 Ritro	steel-blue	36-60	July-Sept	sunny	.10
Eryngium (Sea Holly).					
2421 Amethystinum	blue	24-36	July-Aug	sunny	.15
Eupatorium (Thorough Wort).					
2442 Ageratoides	white	24	June-Oct	sunny	.10
2443 Cœlestinum	lavender-blue	18-24	Aug-Sept	sunny	.10
2441 Fraseri	white	18	Aug-Oct	sunny	.10
Gaillardia (Blanket Flower).					
2502 Grandiflora Compacta	various	12-15	June-Nov	sunny	¼ oz., 50 cts. .15
2503 " Kermesina Splendens	crimson	24	June-Nov	sunny	.15
2505 " Copper-red	coppery-red	24	June-Nov	sunny	.20
2510 " Superb Mixed	crimson & orange	24	June-Nov	sunny	¼ oz., 30 cts. .10
Gaura.					
2511 Lindheimeri	rosy-white	36-48	July-Oct	sunny	¼ oz., 25 cts. .05
Geum (Avens).					
2541 Atrosanguineum fl. pl.	crimson	15	May-July	sunny	¼ oz., 40 cts. .10
Grasses, Ornamental.					
2640 Arundo Donax	grass	96-240	October	sunny	.10
2647 Eulalia Japonica Zebrina	grass	72-84	Sept-Oct	sunny	.10
2648 " Variegata	grass	72-84	Sept-Oct	sunny	.10
2651 Gynierum Argenteum	grass	96-120	October	sunny	.10
2656 Pennisetum Japonicum	grass	48	Sept-Oct	sunny	.10
2658 Stipa Pennata	grass	24	July-Aug	sunny	.10
2661 Uniola Latifolia	grass	36-48	Sept-Oct	sunny	.10
Gypsophila (Baby's Breath).					
2692 Paniculata	white	24-36	Aug-Sept	sunny	¼ oz., 20 cts. .05
2695 " Double Flowering	white	24-36	Aug-Sept	sunny	.20
2693 Acutifolia	white	36-48	Aug-Sept	sunny	¼ oz., 25 cts. .05
Helenium (Sneeze Wort).					
2711 Autumnale Superbum	yellow	60-72	Aug-Sept	sunny	.10
2713 Riverton Gem	wallflower red	36-48	Aug-Sept	sunny	.15
2714 Riverton Beauty	lemon yellow	36-48	Aug-Sept	sunny	.15
Helianthus (Sunflower).					
2705 Hardy sorts mixed	yellow	48-84	July-Oct	sunny	¼ oz., 50 cts. .15
Heliopsis (Orange Sunflower).					
2731 Pitcheriana	golden-yellow	36-48	June-Aug	sunny	¼ oz., 30 cts. .10
2732 Scabra Zinniflora	deep yellow	24-30	June-Aug	sunny	.15
Hesperis (Sweet Rocket).					
4278 Mixed	various	24-36	June-Aug	sunny	1 oz., 30 cts. .05
Heuchera (Alum Root or Coral Bells).					
2761 Sanguinea	coral-red	18-24	July-Aug	sunny	.15
Hibiscus (Marshmallow).					
2772 Crimson Eye	white	36-48	July-Sept	sunny	.10
2774 Moscheutos	pink	36-48	July-Sept	sunny	.05
2775 New Giant Marshmallow	various	60-96	July-Sept	sunny	.15
Hollyhock.					
2782 Double Maroon	maroon	72-96	June-July	sunny	¼ oz., 40 cts. .10
2783 " Bright Rose	rose	72-96	June-July	sunny	¼ oz., 40 cts. .10
2784 " Bright Red	red	72-96	June-July	sunny	¼ oz., 40 cts. .10
2785 " Salmon Rose	salmon	72-96	June-July	sunny	¼ oz., 40 cts. .10
2786 " White	white	72-96	June-July	sunny	¼ oz., 40 cts. .10
2787 " Yellow	yellow	72-96	June-July	sunny	¼ oz., 40 cts. .10
2790 " Extra Choice Mixed	various	72-96	June-July	sunny	¼ oz., 30 cts. .10

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Per Pkt.
Hollyhock—Continued					
2781 Double "Allegheny"	various	72-96	June-July	sunny	¼ oz., 30 cts. \$0.10
2791 " Newport Pink	pink	72-96	June-July	sunny	.15
2793 Single Black Maroon	maroon	72-96	June-July	sunny	.15
2794 " Mauve	mauve	72-96	June-July	sunny	.15
2795 " Pink	pink	72-96	June-July	sunny	.15
2796 " Red	red	72-96	June-July	sunny	.15
2797 " White	white	72-96	June-July	sunny	.15
2798 " Yellow	yellow	72-96	June-July	sunny	.15
2780 " Mixed	various	72-96	June-July	sunny	¼ oz., 30 cts. .10
Iberis (Hardy Candytuft).					
1771 Gibraltarica Hybrida	lilac-white	10-12	May-June	sunny	.10
1772 Sempervirens	white	10-12	May-June	sunny	.15
Iris (Japanese Flowering Flag).					
2809 Kaempferi	various	36-48	June-July	sunny	¼ oz., 25 cts. .10
Lathyrus (Everlasting, or Hardy Sweet Pea).					
2954 Latifolius "White Pearl"	white	climber	June-Oct	sunny	.15
2955 " Pink Beauty	rosy-pink	climber	June-Oct	sunny	.10
2960 " Mixed	various	climber	June-Oct	sunny	1 oz., 40 cts. .05
Lavandula (Lavender).					
2971 Vera	blue	18-36	July	sunny	¼ oz., 25 cts. .10
Liatis (Blazing Star, or Gay Feather).					
2982 Mixed	purple	36-48	July-Sept	sunny	.10
Linaria (Kenilworth Ivy).					
2991 Cymbalaria	lav'der & purple	trailing	July-Sept	sun or shade	.10
Linum (Flax).					
3003 Perenne	blue	18	June-Sept	sunny	.10
3004 Narbonnense	blue	24	June-Sept	sunny	.25
Lobelia (Cardinal Flower).					
3031 Cardinalis	cardinal-red	24-36	Aug-Sept	sunny	.15
Lunaria (Honesty, Moonwort, Satin Flower).					
2801 Biennis alba	white	24	Aug-Sept	sunny	¼ oz., 20 cts. .05
Lupinus (Lupine).					
3052 Polyphyllus Rose	rose	24-48	May-June	sunny	.10
3053 " White	white	24-48	May-June	sunny	.10
3054 " Blue	blue	24-48	May-June	sunny	.10
3055 " Moerheimi	rose and pink	24-48	May-June	sunny	.15
3060 " New Hybrids	various	24-48	May-June	sunny	.25
3051 " Mixed	various	24-48	May-June	sunny	1 oz., 30 cts. .05
Lychnis (Rose Campion, Jerusalem Cross).					
3061 Chalcedonica	orange-scarlet	24-36	June-July	sunny	¼ oz., 25 cts. .05
3062 Haageana Hybrids	various	12	June-July	sunny	¼ oz., 40 cts. .10
Lythrum (Loose-strife).					
3071 Roseum Superbum	rose	36-48	July-Sept	sun or partial shade	¼ oz., 40 cts. .10
Matricaria (Feverfew).					
3121 Capensis alba plena	white	18	June-Oct	sunny	.10
Myosotis (Forget-me-not).					
3231 Alpestris Royal Blue	indigo-blue	9	April-May	sunny	.15
3233 " Robusta Grandiflora	clear blue	10	April-May	sunny	.10
3234 " Stricta Grandiflora	light blue	10	April-May	sunny	.10
3235 " Victoria	azure blue	9	April-May	sunny	.10
3239 " Mixed	various	10	April-May	sunny	¼ oz., 25 cts. .05
3236 Dissitiflora	blue	9	April-May	sunny	.10
3237 Palustris	clear blue	10	May-Sept	sunny	.10
3238 " Semperflorens	clear blue	10	May-Sept	sunny	.10
Oenothera (Evening Primrose).					
3435 Missouriensis	yellow	12	June-Sept	sunny	.10
Pansy.					
3488 Giant Adonis	lavender	4-6	April-Oct	sun or partial shade	.10
3495 " Emperor William	deep blue	4-6	April-Oct	sun or partial shade	.10
3496 " Fire King	mahogany & yellow	4-6	April-Oct	sun or partial shade	.10
3490 " Freya	wine color & white	4-6	April-Oct	sun or partial shade	.10
3489 " Golden Queen	rich yellow	4-6	April-Oct	sun or partial shade	.10
3497 " Lord Beaconsfield	purple & white	4-6	April-Oct	sun or partial shade	.10
3491 " Prince Henry	royal blue	4-6	April-Oct	sun or partial shade	.10
3487 " Rainbow	red, white & blue	4-6	April-Oct	sun or partial shade	.10
3498 " Snow Queen	white	4-6	April-Oct	sun or partial shade	.10
3492 " Psyche	purple & white	4-6	April-Oct	sun or partial shade	.10
3493 " White	white, dark eye	4-6	April-Oct	sun or partial shade	.10
3494 " Yellow	yellow, dark eye	4-6	April-Oct	sun or partial shade	.10
3510 Royal Exhibition Mixture	various	4-6	April-Oct	sun or partial shade	2,000 seeds, \$1.25 .50
3512 Cassier's Giant Mixed	various	4-6	April-Oct	sun or partial shade	½ oz., 75 cts. .25
3513 Giant Parisian Mixed	various	4-6	April-Oct	sun or partial shade	¼ oz., 75 cts. .15
3514 Premium Mixture	various	4-6	April-Oct	sun or partial shade	½ oz., 75 cts. .25
3515 English Finest Mixed	various	4-6	April-Oct	sun or partial shade	¼ oz., 50 cts. .10
3516 Masterpiece or Frilled	various	4-6	April-Oct	sun or partial shade	½ oz., \$1.00 .25
3517 Mme. Perret	various	4-6	April-Oct	sun or partial shade	½ oz., 60 cts. .25
3500 Giant Trimardeau Mixed	various	4-6	April-Oct	sun or partial shade	¼ oz., 50 cts. .10
3520 Good Mixed	various	4-6	April-Oct	sun or partial shade	¼ oz., 25 cts. .05
Papaver (Poppies).					
3733 Iceland Bright Yellow	yellow	9-15	April-Sept	sunny	.10
3734 " Pure White	white	9-15	April-Sept	sunny	.10
3736 " Orange Scarlet	orange-scarlet	9-15	April-Sept	sunny	.10
3740 " Finest Mixed	various	9-15	April-Sept	sunny	¼ oz., 25 cts. .10
3735 " New Hybrid Mixed	various	9-15	April-Sept	sunny	.15
3731 Bracteatum	orange-scarlet	36-42	May-June	sunny	¼ oz., 25 cts. .05
3747 Orientale	crimson	36-42	May-June	sunny	¼ oz., 25 cts. .05
3748 " Mammoth	scarlet	36-42	May-June	sunny	.15
3744 " Princess Victoria Louise	salmon-pink	36-42	May-June	sunny	.15
3745 " Mrs. Perry	salmon	36-42	May-June	sunny	.15
3742 " Goliath	vermillion	36-42	May-June	sunny	.15
3743 " Perry's White	white	36-42	May-June	sunny	.25
3750 " Mixed Hybrids	various	36-42	May-June	sunny	¼ oz., 50 cts. .15
Pentstemon (Beard Tongue).					
3532 Gloxinioides "Sensation"	various	24	July-Oct	sunny	.15
3533 Barbatus Torreyi	coral red	36-48	June-Aug	sunny	.10
3540 Mixed	various	24-36	June-Aug	sunny	.05
Phlox.					
3461 Decussata Mixed	various	24-36	July-Oct	sunny	¼ oz., 50 cts. .10



Iris Kämpferi (Japanese Iris).



Pyrethrum Uliginosum Stellatum.



Viola (Tufted Pansies).

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Per Pkt.
Physostegia (False Dragon Head).					
3651 <i>Virginica</i>	soft pink	36-48	July-Sept	sunny	\$0.10
3652 " <i>alba</i>	white	36-48	July-Sept	sunny	.10
Platycodon (Balloon Flower, Japanese Bell-flower).					
3661 <i>Japonicus fl. pl.</i>	deep blue	24	July-Sept	sunny	.15
3662 <i>Mariesi</i>	violet-blue	18	July-Sept	sunny	.05
3663 <i>Grandiflorum</i>	steel-blue	24-30	July-Sept	sunny	.95
3664 " <i>album</i>	white	24-30	July-Sept	sunny	.95
Primula (Cowslip, Polyanthus, Primrose).					
1500 <i>Auricula</i>	various	6	April	partial shade	.15
2110 <i>Veris Mixed</i> (Cowslip)	various	6	April-May	partial shade	.10
2112 " <i>Invincible Giant</i>	various	12-15	April-May	partial shade	.25
3676 <i>Elatior Gold-laced</i> (Polyanthus)	various	9	April-May	partial shade	.15
3677 " <i>Invincible Giant</i>	various	12-15	April-May	partial shade	.25
3680 " <i>English Mixed</i>	various	9	April-May	partial shade	½ oz., 30 cts. .10
3825 <i>Japonica</i>	various	12	April-May	partial shade	.15
3830 <i>Vulgaris</i> (English Primrose)	yellow	6	April	partial shade	¼ oz., 50 cts. .10
Pueraria (Japanese Kudzu Vine).					
3835 <i>Thunbergiana</i>	rosy-purple	climber	August	sun or shade	¼ oz., 25 cts. .10
Pyrethrum .					
3846 <i>Hybridum Single Flowering</i>	various	18-24	June-July	sunny	¼ oz., 50 cts. .10
3847 " <i>Grandiflorum</i>	various	18-24	June-July	sunny	¼ oz., 75 cts. .15
3845 " <i>Double Flowering</i>	various	18-24	June-July	sunny	.25
3851 <i>Uliginosum Stellatum</i> (Giant Daisy)	white	36-60	Aug-Sept	sunny	.15
Rosmarinus (Rosemary).					
3895 <i>Officinalis</i>	purple	24-36	June-July	sunny	¼ oz., 15 cts. .05
Rudbeckia (Cone Flower).					
3902 <i>Newmani</i>	orange	36	July-Sept	sunny	.15
3903 <i>Purpurea</i>	reddish-purple	36	July-Oct	sunny	¼ oz., 30 cts. .10
3906 <i>Fulgida</i>	orange	36	Aug-Sept	sunny	.15
Salvia .					
3928 <i>Azurea Grandiflora</i>	sky-blue	36-48	Aug-Sept	sunny	.10
3929 <i>Farinacea</i>	light blue	24-30	July-Oct	sunny	.10
3930 <i>Uliginosa</i>	cornflower-blue	48-72	June-Oct	sunny	.25
Scabiosa (Blue Bonnet).					
3941 <i>Caucasica</i>	lilac-blue	18-24	June-Sept	sunny	¼ oz., 40 cts. .10
3942 <i>Japonica</i>	lavender	18-24	July-Sept	sunny	½ oz., 25 cts. .10
Statice (Sea Lavender).					
3997 <i>Latifolia</i>	purplish-blue	18	June-Sept	sunny	.10
4000 <i>Mixed</i>	various	18	June-Sept	sunny	.10
Stokesia (Cornflower Aster).					
4051 <i>Cyanea</i>	lavender	18-24	June-Sept	sunny	¼ oz., 30 cts. .10
4052 " <i>alba</i>	white	18-24	June-Sept	sunny	¼ oz., 40 cts. .10
4060 " <i>New Colors Mixed</i>	various	18-24	June-Sept	sunny	.15
Solidago (Golden Rod).					
2601 <i>Canadensis</i>	yellow	48-60	July-Sept	sunny	.10
Tritoma (Red-hot Poker, Flame Flower or Torch Lily).					
4330 <i>Hybrida</i>	various	36-48	Aug-Oct	sunny	.15
Tunica .					
4335 <i>Saxifraga</i>	light pink	6-8	June-Aug	sunny	.10
Valeriana (Valerian).					
4340 <i>Rubra Mixed</i>	various	24	June-Oct	sunny	¼ oz., 25 cts. .05
Viola Cornuta (Tufted Pansies).					
4401 <i>Papilio</i>	violet-lilac	5-8	April-Oct	sun or partial shade	.10
4402 <i>Lutea Splendens</i>	yellow	5-8	April-Oct	sun or partial shade	.10
4403 <i>Blue Perfection</i>	deep blue	5-8	April-Oct	sun or partial shade	.10
4404 <i>Thuringia</i>	violet & blue	5-8	April-Oct	sun or partial shade	.15
4405 <i>White Perfection</i>	white	5-8	April-Oct	sun or partial shade	.10
4406 <i>Admirabilis</i>	blotched	5-8	April-Oct	sun or partial shade	.10
4410 <i>Mixed</i>	various	5-8	April-Oct	sun or partial shade	¼ oz., 50 cts. .10
Wallflower .					
4415 <i>Paris Extra Early</i>	various	12-18	July-Sept	sunny	¼ oz., 25 cts. .10
4414 <i>Goliath</i>	dark red	12-18	May	sunny	.10
4420 <i>Single Mixed</i>	various	12-18	May	sunny	¼ oz., 15 cts. .05
4430 <i>Double Finest Mixed</i>	various	12-18	May	sunny	.10

DREER'S LAWN GRASS SEEDS

It makes no difference where you are located, or what conditions are to be overcome, we have a Lawn Grass Mixture that will be suited to the purpose, as we have made a careful study of all requirements for the production of high-class turf for every purpose.



THE "DREER" LAWN GRASS

DREER'S TERRACE GRASS

Ordinary lawn grass will not hold the soil on terraces and embankments, which require a thick turf, composed of varieties which make strong roots to take hold of the soil and prevent washing by heavy rains. Our Terrace Grass is a carefully prepared combination of such grasses as will fill the requirements by making a quick growth of grass which will form a strong mat and present a good appearance. It will grow well anywhere, but it is best to enrich the soil, in order to provide nourishment to the young roots and give a vigorous start to their growth. Per qt., 30 cts., postpaid. By express or freight (at purchaser's expense), qt., 25 cts.; 4 qts., 75 cts.; peck, \$1.25; bushel (20 lbs.), \$5.00.



DREER'S TERRACE GRASS

DREER'S PUTTING GREEN MIXTURE

A careful study of the requirements for making the most substantial turf for Putting Greens developed the mixture herewith offered by us for this purpose, and we are quite sure that no other combination will prove as satisfactory. The varieties comprising it are all of the finest-bladed, low-growing and most hardy kinds, and maintain their rich, green color throughout the season. It forms a thick turf and withstands much hard usage. Per qt., 35 cts., postpaid. By express or freight (at purchaser's expense), per qt., 30 cts.; 4 qts., \$1.00; peck, \$1.75; bushel (25 lbs.), \$7.00.

We furnish other Grass Seed Mixtures, all of which are described in a **Special Booklet on Lawn Making**, which also tells how to make and care for Lawns. A copy will be mailed free to all applicants.

THE "DREER" LAWN GRASS

This is by far the best mixture of grasses offered for the purpose of quickly producing a permanent lawn. It is prepared from our own formula, and is a careful blending of varieties adapted to producing the thick growth and velvety appearance so much sought after. Each variety of Grass in its composition is there for a special purpose; some for making strong, fibrous roots, which take hold upon the soil and keep the turf in place, others of a creeping nature quickly fill up any bare spots which may be caused by the taller sorts dying down; varieties which are useful for their color value, and also kinds that are able to withstand the beating down of excessive rains. Per qt., 30 cts., postpaid. By express or freight (at purchaser's expense), qt., 25 cts.; 4 qts., 75 cts.; peck, \$1.25; bushel (20 lbs.), \$5.00.



DREER'S SHADY PLACE GRASS

Usually it is quite difficult to obtain a satisfactory growth of grass under trees and in shady places. For sowing in such places we recommend the use of this special mixture. It will quickly produce an abundant and even growth of beautiful green grass. The grasses used in making this special mixture are only those that are well adapted for growing in shade, and as it blends well with our regular Lawn Grass Mixtures, it may be used on those portions of the lawn which are shaded by trees, buildings, etc., thus covering the whole area with a rich green sward. Per qt., 30 cts., postpaid. By express or freight (at purchaser's expense), qt., 25 cts.; 4 qts., 75 cts.; peck, \$1.25; bushel (20 lbs.), \$5.00.



Henry A. Dreer

Seeds, Plants, Bulbs and Horticultural Supplies
714 and 716 CHESTNUT STREET, Phila.